| © C                                       | terial Compositi<br>opyright 2005. IPC, B<br>national and Pan-Am                                     | annockbu                         | urn, Illinois. A          | ll rights reserved untions. | under both                  | This docume<br>level parts, t                                      | ent is a declara<br>he declaration | ion of the s<br>encompasse | ubstances<br>s all lower | within the manufactur<br>r level materials for w | rer listed i<br>hich the n      | tem. Note: if<br>nanufacturer | the item is an as has engineering | ssembly with lower responsibility. |  |
|---|--|----------------------------------|---------------------------|-----------------------------|-----------------------------|--|------------------------------------|----------------------------|--------------------------|--|---------------------------------|-------------------------------|-----------------------------------|------------------------------------|--|
|   | IPC Web Site for Information on IPC-1752 Standard Form Typ<br>http://www.ipc.org/IPC-175x Distribute |                                  |                           |                             | e *                         | * Declaration Class *<br>Class 6 - RoHS Yes/No, Homogeneous Materi |                                    |                            |                          |  | als and Mfg Information         |                               |                                   |                                    |  |
| Supplier Information                      | L  |                                  |                           |                             |                             |  |                                    |                            |                          |  |                                 |                               |                                   |                                    |  |
| Company name*                             |  |                                  | Company unique ID         |                             |                             |  | Unique ID Authority                |                            |                          |  | Response Date*                  |                               |                                   |                                    |  |
| onsemi                                    |  |                                  |                           |                             |                             |  |                                    |                            |                          |  | 2025-06-09                      |                               |                                   |                                    |  |
| Contact Name                              |  |                                  | Title - Contact           |                             |                             |  | Phone - Contact*                   |                            |                          |  | Email - Contact*                |                               |                                   |                                    |  |
| Product-Env-Stewards                      |  |                                  | Product Enviro Compliance |                             |                             |  | NA                                 |                            |                          |  | Product-Env-Stewards@onsemi.com |                               |                                   |                                    |  |
| Authorized Representative*                |  |                                  | Title - Representative    |                             |                             |  | Phone - Representative*            |                            |                          |  | Email - Representative*         |                               |                                   |                                    |  |
| Product-Env-Stewards                      |  |                                  | Product Enviro Compliance |                             |                             |  | NA                                 |                            |                          |  | Product-Env-Stewards@onsemi.com |                               |                                   |                                    |  |
| Requester Item                            | Requester Item Number Mfr Iten   |                                  | n Number Mfr Item Name    |                             |                             |  | Effective Date                     | Version Manufacturing Site |                          |  | Weight*                         | UOM                           | Unit Type                         |                                    |  |
|   | 2  | MM74HC00M (                      |                           | QUAD 2-INPUT NAND           |                             |  | 2025-06-09                         | 2025-06-09 PH1             |                          |  | 155.775                         | mg                            | Each                              |                                    |  |
| Manufacturing Proce                       | ess Information  |                                  |                           |                             |                             |  |                                    |                            | · · ·                    |  | h                               |                               |                                   |                                    |  |
| Terminal Plating / Grid Array Material Te |  | erminal Base Alloy J-STD-020 MSI |                           | L Rating                    | Peak Process Body Temperatu |  | e Max Time at Peak                 | Temperat                   | ture Numb                | er of Reflow Cy                                  | cles                            |                               |                                   |                                    |  |
| Matte Tin (Sn) - annealed CU              |  |                                  | U Alloy                   | Alloy 1                     |                             |  | 260 C 30                           |                            |                          | seconds 3  |                                 |                               |                                   |                                    |  |
| Comments                                  |  |                                  |                           |                             |                             |  |                                    |                            |                          |  |                                 |                               |                                   |                                    |  |
| evel 1 - maximum time at                  | peak temperature du  | iring solo                       | dering is 10-3            | 0 seconds                   |                             |  |                                    |                            |                          |  |                                 |                               |                                   |                                    |  |
| For more information rega                 | rding material comp  | position p                       | please refer to           | page 3                      |                             |  |                                    |                            |                          |  |                                 |                               |                                   |                                    |  |

| RoHS Material Composition Declaration  |  |  |   | Declaration Type *                              | Detailed  |  |  |  |  |  |  |
|--|--|--|---|---|---|--|--|--|--|--|--|
| Directive 2015/863/EU amending RoHS<br>Directive 2011/65/EU  | RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP). |  |   |   |   |  |  |  |  |  |  |
| cadmium, hexavalentchromium, polybrominate<br>contains a RoHS restricted substance inexcess<br>encompass all such components. Supplier certif<br>as of the date that Supplier completes this form<br>Company acknowledges that Supplier may hav<br>independently verified information provided by<br>certification in this paragraph. If the Company a | ed biphenyls and/or polybrominated dip<br>of an applicable quantity limit, please ir<br>ies that it gathered the information it pro-<br>.Supplier acknowledges that Company<br>e relied on informationprovided by othe<br>v others, Supplier agrees that, at a minin<br>and the Supplier enter into a written agre<br>pource of the Supplier's liability and the   | henyl ethers (each a "<br>ndicate below which, i<br>ovides in this form us<br>will rely on this certifiers<br>in completing this<br>num, itssuppliers have<br>eement with respect to<br>Company's remedies | RoHS restricted substance") in exce<br>if any, RoHS exemption you believe<br>ing appropriate methods to ensure if<br>ication in determining the complian<br>form, and that Supplier may not have<br>e provided certifications regarding the<br>to the identified part, the terms and co<br>for issues that arise regarding inform | ce of its products with European Union membe    | ove. If a homogeneous material within the part<br>er level components, the declaration shall<br>l correct to the best of its knowledge and belief,<br>r state laws that implement the RoHS Directive.<br>wever, in situations where Supplier has not<br>tions are at least as comprehensive as the<br>anty rights and/or remedies provided as part of |  |  |  |  |  |  |
| RoHS Declaration * 1 - Item(s)   | does not contain RoHS restricted substa  | on above   | Supplier Acceptance   | * Accepted                                      |   |  |  |  |  |  |  |
| Exemption: If the declared item does not con applicable exemptions.  | ntain RoHS restricted substances per   | the definition above   | except for defined RoHS exempti   | ons, then select the corresponding response i   | n the RoHS Declaration above and choose all   |  |  |  |  |  |  |
| Exemption List Version   | EL-2011/534/EU   |  |   |   |   |  |  |  |  |  |  |
| Declaration Signature  |  |  |   |   |   |  |  |  |  |  |  |
| Instructions: Complete all of the required fin<br>Requester) and click on Submit Form to have  | elds on all pages of this form. Select the form returned to the Requester  | he "Accepted" on th  | e Supplier Acceptance drop-down   | . This will display the signature area. Digital | lly sign the declaration (if required by the  |  |  |  |  |  |  |
| Supplier Digital Signature Ra  | stislav Drska  | Le   |   |   |   |  |  |  |  |  |  |

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

| Homogeneous Material | Weight | Unit of Measure | Level    | Substance                  | CAS        | Exempt | Weight | Unit of Measure |
|----------------------|--------|-----------------|----------|----------------------------|------------|--------|--------|-----------------|
| Die                  | 3.63   | mg              | Supplier | Silicon (Si)               | 7440-21-3  |        | 3.63   | mg              |
| Die Attach           | 0.367  | mg              | Supplier | Silver (Ag)                | 7440-22-4  |        | 0.2881 | mg              |
|                      |        |                 | Supplier | Phenolic Resin-2           | 54208-63-8 |        | 0.0789 | mg              |
| Lead Frame           | 68.71  | mg              | Supplier | Silver (Ag)                | 7440-22-4  |        | 0.015  | mg              |
|                      |        |                 | Supplier | Zinc (Zn)                  | 7440-66-6  |        | 0.086  | mg              |
|                      |        |                 | Supplier | Iron (Fe)                  | 7439-89-6  |        | 1.614  | mg              |
|                      |        |                 | Supplier | Copper (Cu)                | 7440-50-8  |        | 66.939 | mg              |
|                      |        |                 | Supplier | Phosphorus (P)             | 7723-14-0  |        | 0.056  | mg              |
| Mold Compound-Black  | 81.974 | mg              | Supplier | Ortho Cresol Novolac Resin | 29690-82-2 |        | 16.395 | mg              |
|                      |        |                 | Supplier | Carbon Black (C)           | 1333-86-4  |        | 0.82   | mg              |
|                      |        |                 | Supplier | Fused Silica (SiO2)        | 60676-86-0 |        | 64.759 | mg              |
| Plating              | 0.944  | mg              | Supplier | Palladium (Pd)             | 7440-05-3  |        | 0.034  | mg              |
|                      |        |                 | В        | Nickel (Ni)                | 7440-02-0  |        | 0.891  | mg              |
|                      |        |                 | Supplier | Gold (Au)                  | 7440-57-5  |        | 0.019  | mg              |
| Wire Bond - Cu       | 0.15   | mg              | Supplier | Copper (Cu)                | 7440-50-8  |        | 0.15   | mg              |

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).