Manufacturing Process Information Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycles CU Alloy C 30 seconds 3 Comments	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.						This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.								
Company name* Company unique ID Unique ID Authority Response Date* 2025-06-06 Contact Name Title - Contact Product Env-Stewards Product Env-Stewards NA Product Env-Stewards Product Enviro Compliance NA Product Env-Stewards Product Enviro Compliance NA Product Env-Stewards Product Enviro Compliance NA Product Env-Stewards Product E		IPC Web Site for Information on IPC-1752 Standard Form Type				*						als and Mfg	Informati	ion	
Contact Name Title - Contact Product-Env-Stewards Authorized Representative* Product-Env-Stewards Product Enviro Compliance NA Product-Env-Stewards@onsemi.com Product-Env-Stewards Product Enviro Compliance NA Product-Env-Stewards@onsemi.com Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards@onsemi.com Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM Unit Tylem Number Uom Uo	Supplier Information														
Contact Name Title - Contact Product Envisor Compliance NA Authorized Representative* Title - Representative Product Envisor Compliance NA Authorized Representative* Title - Representative Product Envisor Compliance NA Requester Item Number Requester Item Number Mfr It	Company name*	Company unique ID			1	Unique ID Authority					Response Date*				
Product-Env-Stewards Authorized Representative* Title - Representative Product-Env-Stewards Product Enviro Compliance NA Requester Item Number Mfr Item Number Mfr Item Name Effective Date Product-Env-Stewards MR851 Product Enviro Compliance NA Product-Env-Stewards@onsemi.com Product-Env-Stewards@onsemi.com Weight* UOM Unit Ty 2025-06-06 Product-Env-Stewards@onsemi.com Manufacturing Site Weight* UOM Unit Ty 2025-06-06 Product-Env-Stewards@onsemi.com Manufacturing Site Weight* UOM Unit Ty Authorized Representative* Product-Env-Stewards@onsemi.com Product-Env-Stewards@onsemi.com Product-Env-Stewards@onsemi.com Manufacturing Site Weight* UOM Unit Ty Authorized Representative* Product-Env-Stewards@onsemi.com Manufacturing Site Weight* UOM Unit Ty Authorized Representative* Product-Env-Stewards@onsemi.com Product-Env-Stewards@onsemi.com Manufacturing Site Weight* UOM Unit Ty Authorized Representative* Product-Env-Stewards@onsemi.com Product-Env-Stewards@onsemi.com Manufacturing Site Weight* UOM Unit Ty Authorized Representative* Product-Env-Stewards@onsemi.com Product-Env-Stewards@onsemi.com Manufacturing Site Weight* UOM Unit Ty Authorized Representative* Product-Env-Stewards@onsemi.com Manufacturing Site Weight* UOM Unit Ty Authorized Representative* Product-Env-Stewards@onsemi.com Manufacturing Site Weight* UOM Unit Ty Authorized Representative* Product-Env-Stewards@onsemi.com Manufacturing Site Weight* UOM Unit Ty Authorized Representative* Product-Env-Stewards@onsemi.com Manufacturing Site Weight* UOM Unit Ty Authorized Representative* Product-Env-Stewards@onsemi.com Representative* Product-Env-Stewards@onsemi.com NA NA Product-Env-Stewards@onsemi.com NA NA Na Na Na Na	onsemi											2025-06-06			
Authorized Representative* Product-Env-Stewards Product Enviro Compliance NA Product-Env-Stewards NA Product-Env-Stewards Mfr Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM Unit Tyle 2025-06-06 Manufacturing Proccess Information Terminal Plating / Grid Array Material Terminal Base Alloy CU Alloy J-STD-020 MSL Rating Peak Process Body Temperature Representative* Manufacturing Site Weight* UOM Unit Tyle Max Time at Peak Temperature Number of Reflow Cycles Requester Item Number Requester Item Number Max Time at Peak Temperature Number of Reflow Cycles CU Alloy Comments	Contact Name	Title - Contact			1	Phone - Contact*				Email - Contact*					
Product Envi-Stewards Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM Unit Type and Companies Manufacturing Process Information Terminal Plating / Grid Array Material Terminal Base Alloy Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycles CU Alloy C 30 seconds 3 Comments	Product-Env-Stewards	Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com				
Requester Item Number	Authorized Representative*	Title - Representative]	Phone - Representative*				Email - Representative*					
Manufacturing Proccess Information Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycles CU Alloy Comments	Product-Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
Manufacturing Process Information Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycles CU Alloy Comments	Requester Item Number	Mfr Item	Number Mfr Item Name				Effective Date	e Versio	n	Manufacturing Site		W	eight*	UOM	Unit Type
Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycles CU Alloy Comments		MR851					2025-06-06					13	34.62	mg	Each
CU Alloy C 30 seconds 3	Manufacturing Proccess Inform	nation						1				,		·	
Comments	Terminal Plating / Grid Array Material To		erminal Base Alloy J-STD-020		J-STD-020 MS	L Rating	Peak Process Body Temperatu		re Max Time at Peak Tempera		Temperatur	e Numb	per of Reflow Cyc	les	
		C		U Alloy			C		30	30 seconds		3			
	Comments		-												
or more information regarding material composition please refer to page 3	or more information regarding mater	ial composition	nlegge refer to	naga 3											

RoHS Material Composition Declaration			Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU											
cadmium, hexavalentchromium, polybrominal contains a RoHS restricted substance inexcess encompass all such components. Supplier certi as of the date that Supplier completes this for Company acknowledges that Supplier may ha independently verified information provided by certification in this paragraph. If the Company	ted biphenyls and/or polybrominated dipheny of an applicable quantity limit, please indicate fies that it gathered the information it provident. Supplier acknowledges that Company will we relied on information provided by others in the supplier agrees that, at a minimum and the Supplier enter into a written agreements ource of the Supplier's liability and the Com-	2011/65/EU and implemented by the laws of the End ethers (each a "RoHS restricted substance") in except the below which, if any, RoHS exemption you believe in this form using appropriate methods to ensure rely on this certification in determining the compliant completing this form, and that Supplier may not have its suppliers have provided certifications regarding ent with respect to the identified part, the terms and capany's remedies for issues that arise regarding information in the content of the content is the content of	sess of the applicable quantity limit identified ab we may apply. If the part is an assembly with low its accuracy and that such information is true an- nce of its products with European Union member ave independently verified such information. Ho their contributions to the part, and those certification conditions of that agreement, including any warr	bove. If a homogeneous material within the part ver level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. It is involved in situations where Supplier has not ations are at least as comprehensive as the ranty rights and/or remedies provided as part of							
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted substance	s per the definition above except for selected exemp	tions Supplier Acceptance	* Accepted							
Exemption: 7a: Lead in high melting temper	erature type solders (i.e. lead based solder	alloys containing 85% by weight or more lead).									
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required f Requester) and click on Submit Form to ha		Accepted" on the Supplier Acceptance drop-dow	n. This will display the signature area. Digita	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	astislav Drska	-En									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	6.67	mg	Supplier	Silicon (Si)	7440-21-3		6.67	mg
Die Attach Solder	46.69	mg	Supplier	Silver (Ag)	7440-22-4		1.1673	mg
			A	Lead (Pb)	7439-92-1	7a	43.1882	mg
			Supplier	Tin (Sn)	7440-31-5		2.3345	mg
Lead Frame	731.48	mg	Supplier	Copper (Cu)	7440-50-8		731.48	mg
Mold Compound-Black	543.33	mg		Metal Hydroxide	proprietary data		27.1665	mg
			Supplier	Carbon Black (C)	1333-86-4		5.4333	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		407.4975	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		54.333	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		48.8997	mg
Plating	6.45	mg	Supplier	Tin (Sn)	7440-31-5		6.45	mg