IPC ASSOCIATION ELECTRONICS	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under bot international and Pan-American copyright conventions.				under both	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.											
1752-21.1		IPC Web Site for Information on IPC-1752 Standard Form T				Form Type Distribute								nation			
Supplier	Informat	ion															
Company name*				Company un	Company unique ID			Unique ID Authority					Response Date*				
nsemi														2025-07-08			
Contact Name				Title - Contact				Phone - Contact*					Email - Contact*				
Product-E	Env-Steward	S		Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com				
Authorized Representative*				Title - Representative				Phone - Representative*					Email - Representative*				
Product-E	Env-Steward	s		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
	Requester It	Requester Item Number Mfr Item			n Number Mfr Item Name			Effective Date	ite V	ersion ersion	Manufacturing Site		W	eight*	UOM	Unit Type	
			34C12STM- VGA 1/3 GS CIS				2025-07-08	T		TWU		769.94		mg	Each		
A anufac	cturing Pr	occess Information	on														
	Terminal Pla	nal Plating / Grid Array Material		Terminal Base Alloy J-		J-STD-020 MS	L Rating	Peak Process Body Temperatu		ure Max Time at Peak Ten		k Temperatu	mperature Number of Reflow Cycles		cles		
	Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy 4		4		260		С	30 seco		second	s 3				
Comments						•		•		•	•		•				
or more i	nformation	regarding material co	omposition	please refer to	page 3												

RoHS Material Composition Declaration			Declaration Type *	Detail	ed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct tion member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of						
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted						
Exemption: If the declared item does not applicable exemptions.	contain RoHS restricted substances per t	he definition above except for defined Rol	IS exemptions, then select the corresponding	response in the R	oHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the						

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Ceramic Substrate	541.11	mg	Supplier	Cobalt (Co)	7440-48-4		0.7034	mg
			Supplier	Titanium Dioxide (TiO2)	13463-67-7		5.4111	mg
			Supplier	Molybdenum (Mo)	7439-98-7		5.4111	mg
			Supplier	Tungsten (W)	7440-33-7		22.7807	mg
			Supplier	Magnesium Monoxide (MgO)	1309-48-4		3.2467	mg
			Supplier	Calcium Oxide (CaO)	60873-85-0		2.7597	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		15.1511	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		461.2963	mg
			В	Nickel (Ni)	7440-02-0		2.2186	mg
			Supplier	Gold (Au)	7440-57-5		1.3528	mg
			Supplier	Chromium Trioxide (Cr2O3)	1308-38-9		20.7786	mg
Die	48.05	mg		Misc.	proprietary data		0.1826	mg
			Supplier	Silicon (Si)	7440-21-3		47.3917	mg
			Supplier	Aluminum (Al)	7429-90-5		0.4757	mg
Die Attach	23.95	mg	Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		1.0322	mg
			Supplier	Epoxy resins	129915-35-1		7.3934	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		8.7202	mg
			Supplier	Acrylic resins	Proprietary Data		6.8042	mg
Imaging Lens	150.48	mg	Supplier	Titanium Dioxide (TiO2)	13463-67-7		7.9002	mg
			Supplier	Sodium Monoxide (Na2O)	1313-59-3		7.6745	mg
			Supplier	Boron Trioxide (B2O3)	1303-86-2		7.9002	mg
			Supplier	Zinc Monoxide (ZnO)	1314-13-2		7.7196	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		0.7524	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		7.5992	mg
			Supplier	Potassium Monoxide (K2O)	12136-45-7		7.6143	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		103.3196	mg
Lid Attach	4.62	mg		Other Additive Agents	proprietary data		0.8048	mg
			Supplier	Photoinitiator	Proprietary Data		0.1885	mg
			Supplier	Epoxy Prepolymer	Proprietary Data		3.6267	mg
Wire Bond - Au	1.73	mg	Supplier	Gold (Au)	7440-57-5		1.73	mg