	CONNECTING CS INDUSTRIES INCONNECTING	Osition Dee PC, Bannockb -American co	c laration ourn, Illinois. A opyright conve	All rights reserved untions.	nder both	This docume level parts, t	ent is a declarati he declaration e	on of the sub ncompasses	ostances w all lower	vithin the manufactu level materials for w	rer listed i which the r	tem. Note: if nanufacturer	the item is an as has engineering	sembly with lower responsibility.	
1752-21.1					Form Type Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				ials and M	als and Mfg Information				
Supplie	r Information														
Company	name*	Company un	Company unique ID			Unique ID Authority				Respon	Response Date*				
onsemi											2024-04	2024-04-25			
Contact N	Jame		Title - Contact]	Phone - Contact*				Email -	Email - Contact*			
Product-l	Env-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
uthorize	ed Representative*		Title - Representative]	Phone - Representative*				Email - Representative*				
Product-	Env-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
			Number Mfr Item Name				Effective Date	te Version Manufacturing Site			Weight*	UOM	Unit Type		
			8A 600V UFR TO	O-220FP		2024-04-25		K	KR8		2009.84	mg	Each		
/Ianufa	ecturing Proccess Informat	tion													
	Terminal Plating / Grid Array Material		Ferminal Base Alloy J-STD-020 M		J-STD-020 MS	L Rating	Peak Process Body Temperat		nperature	Max Time at Peak	. Tempera	ture Numbe	er of Reflow Cyc	les	
Matte Tin (Sn) - annealed		CU Alloy NA		NA		0 C		С	30		nds 3				
omments	S														
or more	information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Befinition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).								
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the						
Supplier Digital Signature	astislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	3.55	mg	Supplier	Silicon (Si)	7440-21-3		3.55	mg
Die Attach	82.98	mg	Supplier	Silver (Ag)	7440-22-4		1.2447	mg
			А	Lead (Pb)	7439-92-1	7a	77.5863	mg
			Supplier	Tin (Sn)	7440-31-5		4.149	mg
Lead Frame	1236.66	mg	Supplier	Copper (Cu)	7440-50-8		1236.66	mg
Mold Compound-Black	679.88	mg		Epoxy resin	proprietary data		47.5916	mg
			Supplier	Phenolic Resin	Proprietary Data		47.5916	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		101.982	mg
			Supplier	Carbon Black (C)	1333-86-4		3.3994	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		479.3154	mg
Plating	6.36	mg	Supplier	Tin (Sn)	7440-31-5		6.36	mg
Wire Bond - Al	0.41	mg	Supplier	Aluminum (Al)	7429-90-5		0.41	mg