| IPC ASSOCIATION ELECTRONIC   | Material Compo © Copyright 2005. IP cs INDUSTRIES® international and Pan-                          | C, Bannockb            | urn, Illinois. A                  | all rights reserved un | nder both This clevel     | documen<br>parts, the   | nt is a declara<br>e declaration      | tion of the substa<br>encompasses all | nces with<br>lower lev                        | in the manufacturel materials for w | rer listed i                    | item. Note: i | if the item is an as<br>r has engineering | ssembly with lowe responsibility. |
|------------------------------|--|------------------------|-----------------------------------|------------------------|---------------------------|---|---------------------------------------|---------------------------------------|---|-------------------------------------|---------------------------------|---------------|---|-----------------------------------|
| 1752-21.1                    | IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute |                        |                                   |                        | Form Type *<br>Distribute | * Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi |                                       |                                       |   | ials and M                          | als and Mfg Information         |               |   |                                   |
| Supplie                      | r Information  |                        |                                   |                        |                           |   |                                       |                                       |   |                                     |                                 |               |   |                                   |
| Company name* Company unique |  |                        |                                   | que ID                 |                           | Uı  | Unique ID Authority                   |                                       |   |                                     | Response Date*                  |               |   |                                   |
| onsemi                       |  |                        |                                   |                        |                           |   |                                       |                                       |   |                                     | 2025-05-12                      |               |   |                                   |
| Contact N                    | lame   |                        | Title - Contact                   |                        |                           | Pi  | Phone - Contact*                      |                                       |   |                                     | Email - Contact*                |               |   |                                   |
| Product-l                    | Env-Stewards   |                        | Product Enviro Compliance         |                        |                           | N   | NA                                    |                                       |   |                                     | Product-Env-Stewards@onsemi.com |               |   |                                   |
| Authorize                    | ed Representative*   | Title - Representative |                                   |                        | Pł                        | Phone - Representative*   |                                       |                                       |   | Email - Representative*             |                                 |               |   |                                   |
| Product-l                    | Env-Stewards   |                        | Product Enviro Compliance         |                        |                           | N   | NA                                    |                                       |   |                                     | Product-Env-Stewards@onsemi.com |               |   |                                   |
|                              | Requester Item Number Mfr Item   |                        | Number Mfr Item Name              |                        |                           | E   | Effective Date                        | ffective Date                         |   | ifacturing Site                     | Weight*                         |               | UOM                                       | Unit Type                         |
|                              |  | NCP1063                | CP1063AP100G HV Switcher          |                        | ow Power offline SMPS     |   | 2025-05-12                            |                                       | PH1   | PH1                                 |                                 | 471.77        | mg  | Each                              |
| // Anufa                     | cturing Proccess Informati   | ion                    |                                   |                        |                           | ,   |                                       |                                       | <u>,                                     </u> |                                     |                                 |               |   |                                   |
|                              | Terminal Plating / Grid Array Material Te  |                        | 'erminal Base Alloy J-STD-020 MSI |                        | -STD-020 MSL Ratii        | ng  | Peak Process Body Temperatu           |                                       | erature N                                     | Iax Time at Peak                    | Tempera                         | ture Numb     | ber of Reflow Cyc                         | eles                              |
|                              | Matte Tin (Sn) - annealed  |                        | CU Alloy NA                       |                        | NA.                       |   | 0 C                                   |                                       | 0   | seconds 3                           |                                 |               |   |                                   |
| Comments                     | 3  |                        |                                   |                        |                           |   |                                       |                                       |   | ·                                   |                                 |               |   | ·                                 |
|                              |  |                        |                                   |                        |                           |   |                                       |                                       |   |                                     |                                 |               |   |                                   |
| or more                      | information regarding material c   | omposition 1           | please refer to                   | page 3                 |                           |   | · · · · · · · · · · · · · · · · · · · |                                       |   |                                     |                                 |               |   |                                   |

| RoHS Material Composition Declaration   |   |   | Declaration Type *  | Detail  | ed  |  |  |  |  |  |  |
|---|---|---|---|---|---|--|--|--|--|--|--|
| Directive 2015/863/EU amending RoHS Directive 2011/65/EU  RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP). |   |   |   |   |   |  |  |  |  |  |  |
| cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan  | nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C | enyl ethers (each a "RoHS restricted substan<br>licate below which, if any, RoHS exemption<br>vides in this form using appropriate methods<br>vill rely on this certification in determining the<br>s in completing this form, and that Supplier<br>um, itssuppliers have provided certifications<br>ement with respect to the identified part, the tompany's remedies for issues that arise rega | s of the European Union member states) of the<br>ce") in excess of the applicable quantity limit is<br>you believe may apply. If the part is an assemb<br>to ensure its accuracy and that such informatio<br>e compliance of its products with European Ur<br>may not have independently verified such infor<br>regarding their contributions to the part, and the<br>erms and conditions of that agreement, including<br>information the Supplier provides in this | dentified above. If a<br>ally with lower level<br>in is true and correct<br>tion member state la<br>mation. However, in<br>ose certifications are<br>ag any warranty righ | homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of |  |  |  |  |  |  |
| RoHS Declaration * 1 - Item   | (s) does not contain RoHS restricted substar  | nces per the definition above   | Supplier A  | cceptance *   | Accepted  |  |  |  |  |  |  |
| Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.   |   |   |   |   |   |  |  |  |  |  |  |
| Exemption List Version  | EL-2011/534/EU  |   |   |   |   |  |  |  |  |  |  |
| Declaration Signature   |   |   |   |   |   |  |  |  |  |  |  |
|   |   |   |   |   |   |  |  |  |  |  |  |
|   |   | e "Accepted" on the Supplier Acceptance   | drop-down. This will display the signature a  | rea. Digitally sign t   | the declaration (if required by the   |  |  |  |  |  |  |

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

| <b>Homogeneous Material</b> | Weight | Unit of Measure | Level    | Substance                  | CAS              | Exempt | Weight   | Unit of Measure |
|-----------------------------|--------|-----------------|----------|----------------------------|------------------|--------|----------|-----------------|
| Die                         | 2.19   | mg              | Supplier | Silicon (Si)               | 7440-21-3        |        | 2.19     | mg              |
| Die Attach                  | 8.92   | mg              | Supplier | Silver (Ag)                | 7440-22-4        |        | 6.69     | mg              |
|                             |        |                 | Supplier | Epoxy resins               | 129915-35-1      |        | 2.23     | mg              |
| Lead Frame                  | 131.05 | mg              | Supplier | Silver (Ag)                | 7440-22-4        |        | 0.9173   | mg              |
|                             |        |                 | Supplier | Zinc (Zn)                  | 7440-66-6        |        | 0.2621   | mg              |
|                             |        |                 | Supplier | Iron (Fe)                  | 7439-89-6        |        | 3.4073   | mg              |
|                             |        |                 | Supplier | Copper (Cu)                | 7440-50-8        |        | 126.4632 | mg              |
| Mold Compound-Black         | 317.53 | mg              |          | Epoxy resin                | proprietary data |        | 15.8765  | mg              |
|                             |        |                 | Supplier | Phenolic Resin             | Proprietary Data |        | 15.8765  | mg              |
|                             |        |                 | Supplier | Ortho Cresol Novolac Resin | 29690-82-2       |        | 6.3506   | mg              |
|                             |        |                 | Supplier | Carbon Black (C)           | 1333-86-4        |        | 1.5876   | mg              |
|                             |        |                 | Supplier | Fused Silica (SiO2)        | 60676-86-0       |        | 277.8387 | mg              |
| Plating                     | 11.9   | mg              | Supplier | Tin (Sn)                   | 7440-31-5        |        | 11.9     | mg              |
| Wire Bond                   | 0.18   | mg              | Supplier | Palladium (Pd)             | 7440-05-3        |        | 0.0018   | mg              |
|                             |        |                 | Supplier | Copper (Cu)                | 7440-50-8        |        | 0.1782   | mg              |