IPC ASSOCIATION ELECTRONIC	© Copyright 200	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.			nder both	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				Form Type * Distribute	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					eous Materia	ials and Mfg Information			
upplie	r Information														
Company name* Company unique ID				ique ID	Unique ID			que ID Authority				Response Date*			
nsemi												2024-04-28			
Contact N	Jame		Title - Contact			I	Phone - Contact*				Email - Contact*				
Product-l	Env-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
uthorize	ed Representative*	Title - Representative			I	Phone - Representative*				Email - Representative*					
Product-Env-Stewards Pro				Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
	Requester Item Number Mfr Iter		n Number Mfr Item Name				Effective Date	e Vei	rsion	Manufacturing Site PH1		1	Weight*	UOM	Unit Type
		NCP1239MD65R2G NCP1239M, 65		NCP1239M, 65kH	2024-		2024-04-28	PH1				8	80.96	mg	Each
Ianufa	cturing Process Infor	mation						,							
	Terminal Plating / Grid Array	Terminal Base Alloy J-STD-020 M		-STD-020 MSL	Rating	Peak Process Body Temperatu		ure Max Time at Peak Temperat		ure Numb	per of Reflow Cyc	eles			
Matte Tin (Sn) - annealed CU			U Alloy 1			260	C		30		seconds 3				
omments	3														
vel 1 - m	aximum time at peak tempe	rature during so	ldering is 10-3	30 seconds											
or more	information regarding mater	rial composition	please refer to	page 3											

RoHS Material Composition Declaration			Declaration Type *	Detail	ed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		ium (Cr6+), Polybrominated Biphenyls (PB)	erial for Cadmium and quantity limit of 0.1% b B), Polybrominated Diphenyl Ethers (PBDE), a							
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct tion member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of					
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted					
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the					

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	3.09	mg	Supplier	Silicon (Si)	7440-21-3		3.09	mg	
Die Attach	0.28	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.0896	mg	
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.1904	mg	
Lead Frame	27.82	mg	Supplier	Silver (Ag)	7440-22-4		0.1669	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.0334	mg	
			Supplier	Iron (Fe)	7439-89-6		0.6538	mg	
			Supplier	Copper (Cu)	7440-50-8		26.9576	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.0083	mg	
Mold Compound-Black	48.72	mg		Epoxy resin	proprietary data		2.436	mg	
			Supplier	Phenolic Resin	Proprietary Data		2.436	mg	
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.9744	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.2436	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		42.63	mg	
Plating	0.94	mg	Supplier	Tin (Sn)	7440-31-5		0.94	mg	
Wire Bond - Au	0.11	mg	Supplier	Gold (Au)	7440-57-5		0.11	mg	