ASSOCIATION CONNECTIN ELECTRONICS INDUSTRIE	© Copyright 2005. IPC, international and Pan-Ar	Bannockb	urn, Illinois. A	ll rights reserved untions.	under both	This docum level parts, t	ent is a declaration	ion of the s encompasse	ubstances es all lower	within the manufactur r level materials for w	rer listed i hich the n	tem. Note: i nanufacture	f the item is an as r has engineering	sembly with lower responsibility.	
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				e *	 Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi 					als and Mfg Information				
Supplier Inforn	nation														
Company name*			Company un	Company unique ID			Unique ID Authority					Response Date*			
onsemi											2025-05-11				
Contact Name			Title - Contact				Phone - Contact*				Email - Contact*				
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Authorized Representative*			Title - Representative				Phone - Representative*				Email - Representative*				
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Request	Requester Item Number Mfr Item		n Number Mfr Item Name				Effective Date	e Version	Ν	Anufacturing Site		Weight*	UOM	Unit Type	
		NCP1611BDR2G NCP1611A ENH		ANCED PFC	FC 2025-05			C	CNW		72.0	mg	Each		
Manufacturing	Proccess Information	n													
Terminal Plating / Grid Array Material Termina			erminal Base A	ninal Base Alloy J-STD-020 MSL Rating			Peak Process Body Temperature Max Time at Peak				Temperature Number of Reflow Cycles				
Matte Tin (Sn) - annealed CU Alloy			U Alloy		2		260		С	30	secon	ds 3			
Comments															
ATTENTION: MSI	2 2 Rated item requires Di	ry Pack (a	fter electrical	test)											
or more informati	on regarding material con	position	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.												
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).										
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure		
Die	1.33	mg	Supplier	Silicon (Si)	7440-21-3		1.33	mg		
Die Attach	2.4	mg		Epoxy resin	proprietary data		0.06	mg		
			Supplier	Silver (Ag)	7440-22-4		1.92	mg		
			Supplier	Polybutadiene polymer	Proprietary Data		0.156	mg		
			Supplier	Acrylic resins	Proprietary Data		0.264	mg		
Lead Frame	37.61	mg	Supplier	Silver (Ag)	7440-22-4		0.7898	mg		
			Supplier	Zinc (Zn)	7440-66-6		0.0752	mg		
			Supplier	Iron (Fe)	7439-89-6		0.9403	mg		
			Supplier	Copper (Cu)	7440-50-8		35.8047	mg		
Mold Compound-Black	28.58	mg		Epoxy resin	proprietary data		3.8011	mg		
			Supplier	Carbon Black (C)	1333-86-4		0.0572	mg		
			Supplier	Fused Silica (SiO2)	60676-86-0		24.7217	mg		
Plating	1.89	mg	Supplier	Tin (Sn)	7440-31-5		1.89	mg		
Wire Bond - Au	0.19	mg	Supplier	Gold (Au)	7440-57-5		0.19	mg		

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3