	Material Composit © Copyright 2005. IPC, I international and Pan-An	Bannockb	urn, Illinois. A	ll rights reserved utions.	under both	This docume level parts, t	ent is a decla he declaratio	ration of on encom	f the substances passes all lowe	within th r level m	ne manufactu aterials for w	rer listed it which the m	em. N anufao	ote: if the	e item is an as s engineering	sembly with lower responsibility.	
					Form Type Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ials and Mi	als and Mfg Information					
Supplier Informat	tion																
Company name*			Company unique ID			1	Unique ID Authority					Respons	Response Date*				
onsemi										2025-05-	2025-05-15						
Contact Name			Title - Contact]	Phone - Contact*					Email -	Email - Contact*				
Product-Env-Stewards			Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com					
Authorized Representative*			Title - Representative]	Phone - Representative*				Email - Representative*						
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com						
Requester It	Requester Item Number Mfr Item		Number Mfr Item Name				Effective D	ate Ve	ersion I	on Manufacturing		V	Veight	t*	UOM	Unit Type	
			LDO 250 mA, Ultra-Low Noise and High PSRR, Active Discharge		nd High	2025-05-15	;		ТНВ		1	.434		mg	Each		
Manufacturing Pr	occess Information	L															
Terminal Pla	Terminal Plating / Grid Array Material		erminal Base A	Base Alloy J-STD-020 MSL		Rating	Peak P	rocess B	ocess Body Temperature		re Max Time at Peak Temper		ure 1	Number o	of Reflow Cyc	les	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)			U Alloy 1		1		260		С	30 se		second	seconds 3				
Comments																	
evel 1 - maximum time	e at peak temperature d	luring sol	dering is 10-3	0 seconds													
or more information	regarding material com	position j	please refer to	page 3													

RoHS Material Composition Declaration				Declaration Type *	Detailed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth	
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the
Supplier Digital Signature Ra	stislav Drska	Le			

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material Weight		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.09	mg	Supplier	Silicon (Si)	7440-21-3		0.09	mg	
Die Attach Tape	0.13	mg	Supplier	Oxirane, (chloromethyl)-, homopolymer	24969-06-0		0.0195	mg	
			Supplier	2-Propenoic acid, 2-methyl-, polymer with butyl 2-propenoate and methyl 2- methyl-2-propenoate	25035-69-2		0.0195	mg	
			Supplier	Proprietary	Proprietary Data		0.013	mg	
			Supplier	Silica Amorphous (SiO2)	7631-86-9		0.0585	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.0195	mg	
Lead Frame	0.58	mg	Supplier	Magnesium (Mg)	7439-95-4		0.0009	mg	
			Supplier	Silicon (Si)	7440-21-3		0.0038	mg	
			В	Nickel (Ni)	7440-02-0		0.0174	mg	
			Supplier	Copper (Cu)	7440-50-8		0.558	mg	
Mold Compound-Black	0.6	mg		Epoxy resin	proprietary data		0.0282	mg	
			Supplier	Phenol Resin	Proprietary Data		0.0282	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.0006	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		0.543	mg	
Plating	0.004	mg	Supplier	Palladium (Pd)	7440-05-3		0.0001	mg	
			В	Nickel (Ni)	7440-02-0		0.0035	mg	
			Supplier	Gold (Au)	7440-57-5		0.0004	mg	
Wire Bond - Au	0.03	mg	Supplier	Gold (Au)	7440-57-5		0.03	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).