© Copyright 2005. T	Copyright 2005 IPC Bannockburn Illinois All rights reserved under both				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
	21.1 IPC Web Site for Information on IPC-1752 Standard Form T http://www.ipc.org/IPC-175x Distribution				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials an					ials and N	and Mfg Information			
Supplier Information														
Company name* Co			Company unique ID			Unique ID Authority				Respon	Response Date*			
emi									2024-05	2024-05-17				
Contact Name	tact Name Title - Contact					Phone - Contact*				Email - Contact*				
Product-Env-Stewards Product Enviro Com			ro Compliance	• Compliance		NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Representative			sentative	Ph		Phone - Representative*			Email - Representative*					
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com					
Requester Item Number	Mfr Iter	n Number	Mfr Item Name			Effective Date	Version	М	Manufacturing Site		Weight*	UOM	Unit Type	
	NCP455 H	45525IMNTWG- NCP45525IMNTW		WG-H		2024-05-17		U	UTH		11.76364	mg	Each	
Aanufacturing Proccess Informa	tion													
Terminal Plating / Grid Array Ma	aterial	Terminal Base Alloy J-		J-STD-020 MSI	L Rating	Peak Process Body Temper		mperature	ture Max Time at Peak Temp		ture Numb	er of Reflow Cyc	cles	
Matte Tin (Sn) - annealed CU Alloy			3		260		С	30	seco	nds 3				
omments														
TTENTION: MSL 3 Rated item require	s Bake and I	Dry Pack (after	electrical test)											
or more information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material Weight Unit of M		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.63	mg	Supplier	Silicon (Si)	7440-21-3	F*	0.63	mg
Die Attach	0.12964	mg		Bismaleimide Resin	proprietary data		0.0052	mg
		-	Supplier	Methacrylate - High Boiling	Proprietary Data		0.0104	mg
			Supplier	Silver (Ag)	7440-22-4		0.1141	mg
Die Attach Tape	0.03	mg	Supplier	Silicon Dioxide	7631-86-9		0.015	mg
			Supplier	Acrylic AE Copolymer	58152-79-7		0.0045	mg
			Supplier	Formaldehyde, polymer with 4,4-(1- methylethylidene)bisphenol	25085-75-0		0.0042	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.0021	mg
			Supplier	Formaldehyde Polymer	9003-36-5		0.0042	mg
Lead Frame	4.29	mg	Supplier	Silver (Ag)	7440-22-4		0.0858	mg
			Supplier	Tin (Sn)	7440-31-5		0.0107	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0094	mg
			Supplier	Chromium (Cr)	7440-47-3		0.0107	mg
			Supplier	Copper (Cu)	7440-50-8		4.1733	mg
Mold Compound-Black	6.0	mg		Epoxy resin	proprietary data		0.3	mg
			Supplier	Phenolic Resin	Proprietary Data		0.138	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		0.3	mg
			Supplier	Carbon Black (C)	1333-86-4		0.024	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.138	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		5.1	mg
Plating	0.46	mg	Supplier	Tin (Sn)	7440-31-5		0.46	mg
Wire Bond - Au	0.224	mg	Supplier	Gold (Au)	7440-57-5		0.224	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).