© Copyright	Composition De t 2005. IPC, Bannock l and Pan-American c	burn, Illinois. A	ll rights reserved u ntions.	Inder both lev	is documer vel parts, th	nt is a declaration	ation of th	he substances asses all lowe	within the er level mate	manufactur erials for wl	er listed ite hich the m	em. Note anufactu	: if the item is an rer has engineerin	assembly with low g responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form http://www.ipc.org/IPC-175x Dist				Γγρe * Declaration Class * ute Class 6 - RoHS Yes/No, Homogeneous Mate					ous Materia	ials and Mfg Information				
Supplier Information															
Company name*	Company unique ID			U	Unique ID Authority					Response Date*					
onsemi										2025-07-06					
Contact Name	Title - Conta	Title - Contact			Phone - Contact*					Email - Contact*					
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA					Product-Env-Stewards@onsemi.com					
uthorized Representative*	Title - Representative			Р	Phone - Representative*				Email - Representative*						
Product-Env-Stewards		Product Enviro Compliance			r	NA				Product-Env-Stewards@onsemi.com					
Requester Item Number	Requester Item Number Mfr Iter		n Number Mfr Item Name]	Effective Da	te Vers	sion	Manufacturing Site		v	/eight*	UOM	Unit Type	
	NCP718	NCP718ASN330T1G 300 mA TSOP5		00 mA Low Iq, Wide Input Voltage LDO - SOP5 3V3 AD		2025-07-06			ТНВ		1	2.52	mg	Each	
Manufacturing Proccess In	formation														
Terminal Plating / Grid A	Array Material	Ferminal Base A	Alloy J	J-STD-020 MSL Rating		Peak Process Body Temperat		ly Temperatu	ure Max Time at Peak Tempe		Temperatu	re Nu	mber of Reflow C	ycles	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy 1		1		260		С	30 seco		second	seconds 3			
Comments											•				
evel 1 - maximum time at peak te	mperature during so	dering is 10-3	0 seconds												
or more information regarding n	naterial composition	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl ohthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.3	mg	Supplier	Silicon (Si)	7440-21-3		0.3	mg
Die Attach Epoxy	0.1	mg	Supplier	Poly(oxypropylene)diamine	9046-10-0		0.003	mg
			Supplier	Silver (Ag)	7440-22-4		0.085	mg
			Supplier	Proprietary	Proprietary Data		0.005	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.007	mg
Lead Frame	6.43	mg	Supplier	Zinc (Zn)	7440-66-6		0.0077	mg
			Supplier	Iron (Fe)	7439-89-6		0.1511	mg
			Supplier	Copper (Cu)	7440-50-8		6.2692	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0019	mg
Mold Compound-Black	5.6	mg		Epoxy resin	proprietary data		0.28	mg
			Supplier	Phenolic Resin	Proprietary Data		0.112	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.14	mg
			Supplier	Carbon Black (C)	1333-86-4		0.028	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		5.04	mg
Plating	0.07	mg	Supplier	Palladium (Pd)	7440-05-3		0.0017	mg
			В	Nickel (Ni)	7440-02-0		0.0616	mg
			Supplier	Gold (Au)	7440-57-5		0.0067	mg
Wire Bond - Cu	0.02	mg	Supplier	Palladium (Pd)	7440-05-3		0.0004	mg
			Supplier	Gold (Au)	7440-57-5		0	mg
			Supplier	Copper (Cu)	7440-50-8		0.0196	mg