IPC ASSOCIATION CONNECT ELECTRONICS INDUSTR	Material Compos © Copyright 2005. IPC international and Pan-A	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.			This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lowe level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					ials and Mfg Information			
upplier Infor	mation													
Company name*			Company unique ID			Unique ID Authority				Response Date*				
onsemi										2024-04-25				
Contact Name		Title - Co	Title - Contact			Phone - Contact*				Email - Contact*				
Product-Env-Stev	wards	Product E	Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
uthorized Repre	sentative*	Title - Rep	Title - Representative			Phone - Representative*				Email - Representative*				
Product-Env-Stev	wards	Product E	Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Reques	ster Item Number	Mfr Item Number	Mfr Item Name		I	Effective Date	Version	N	Manufacturing Site	W	eight*	UOM	Unit Type	
		NCP781BMN050TAG 150V, 100mA VI- wettable flanks		HV LDO 5.0 V HZ	non- 2	2024-04-25	4-25 MY1		22	24	mg	Each		
	g Proccess Informatio	on												
Termina	al Plating / Grid Array Mate	erial Terminal Bas	Ferminal Base Alloy J-STD-020 MSL		ating	Peak Process Body Temperature Max Time at Pe			re Max Time at Peak	k Temperature Number of Reflow Cycles				
Matte Tin (Sn) - annealed		CU Alloy	CU Alloy 1			260	C 30		30	seconds 3				
omments														
vel 1 - maximum	ı time at peak temperature	e during soldering is 1	-30 seconds											
or more informa	tion regarding material co	omposition please refe	to page 3											

RoHS Material Composition Declaration			Declaration Type *	Detail	ed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct tion member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of					
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted					
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the					

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

omogeneous Material Weight Unit of Me		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.92	mg	Supplier Silicon (Si)		7440-21-3		0.92	mg
Die Attach	0.16	mg	Supplier	Isobornyl Methacrylate	7534-94-3		0.0096	mg
			Supplier	Silver (Ag)	7440-22-4		0.1304	mg
			Supplier	Isobornyl Acrylate	5888-33-5		0.0096	mg
			Supplier	Misc.	Proprietary Data		0.0008	mg
			Supplier	Tricyclo[5.2.1.02,6]decanedimethanol Diacrylate (C18H24O4)	42594-17-2		0.0096	mg
Lead Frame	5.86	mg	Supplier	Silver (Ag)	7440-22-4		0.1172	mg
			Supplier	Zinc (Zn)	7440-66-6		0.007	mg
			Supplier	Iron (Fe)	7439-89-6		0.1377	mg
			Supplier	Copper (Cu)	7440-50-8		5.5963	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0018	mg
Mold Compound-Black	14.8	mg		Epoxy resin	proprietary data		1.11	mg
			Supplier	Phenolic Resin	Proprietary Data		0.37	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		1.11	mg
			Supplier	Carbon Black (C)	1333-86-4		0.074	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		12.136	mg
Plating	0.38	mg	Supplier	Tin (Sn)	7440-31-5		0.38	mg
Wire Bond - Au	0.12	mg	Supplier	Gold (Au)	7440-57-5		0.12	mg