ASSOCIATION CONNECTING LECTRONICS INDUSTRIES	PC. Bannockl	ourn. Illinois. A	Il rights reserved untions.	under both	This docume level parts, t	ent is a declarat he declaration of	ion of the su	ubstances s all lowe	within the mar r level material	ufacturer list s for which the	ed item. Note he manufactur	: if the item is an a er has engineering	ssembly with lower responsibility.	
	-21.1 IPC Web Site for Information on IPC-1752 Standard Form Distribution Distribut				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materia					Materials an	als and Mfg Information			
Supplier Information														
Company name*		Company un	Company unique ID			Unique ID Authority					Response Date*			
onsemi									2025	2025-07-15				
Contact Name	ntact Name Title - Contact				Phone - Contact*					Ema	Email - Contact*			
Product-Env-Stewards Product Env			nviro Compliance			NA				Pro	Product-Env-Stewards@onsemi.com			
Authorized Representative* Title - R			e - Representative			Phone - Representative*			Ema	Email - Representative*				
Product-Env-Stewards Pro			Product Enviro Compliance			NA				Pro	Product-Env-Stewards@onsemi.com			
Requester Item Number	equester Item Number Mfr Item		Number Mfr Item Name			Effective Date	Version	1	Manufacturing Site		Weight*	UOM	Unit Type	
	NCS220	NCS2202SQ2T2G ANA COMPA		RATORS		2025-07-15		1	MY1		13.43	mg	Each	
Manufacturing Proccess Informa	tion													
Terminal Plating / Grid Array M	Plating / Grid Array Material Terminal Base Alloy		Alloy	J-STD-020 MSI	0 MSL Rating Peal		eak Process Body Temperature Max Time at Peak		at Peak Temp	Temperature Number of Reflow Cycles				
Matte Tin (Sn) - annealed CU Alloy			1		260		С	30	se	econds 3				
Comments														
evel 1 - maximum time at peak temperat	ure during so	Idering is 10-3	0 seconds											
or more information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

				ance category (JIG or Requester) or enter a [F] Optionally enter the positive (+) and n				
sigma range of distribution unless	,							
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.67	mg	Supplier	Silicon (Si)	7440-21-3		0.67	mg
Die Attach Epoxy	0.15	mg		Epoxy resin	proprietary data		0.0975	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.0525	mg
Lead Frame	2.35	mg	В	Nickel (Ni)	7440-02-0		0.853	mg
			Supplier	Iron (Fe)	7439-89-6		1.1797	mg
			Supplier	Copper (Cu)	7440-50-8		0.3172	mg
Lead Frame plating	0.05	mg	Supplier	Silver (Ag)	7440-22-4		0.05	mg
Mold Compound-Black	10.0	mg		Epoxy resin	proprietary data		0.5	mg
			Supplier	Phenolic Resin	Proprietary Data		0.5	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.2	mg
			Supplier	Carbon Black (C)	1333-86-4		0.05	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		8.75	mg
Plating	0.13	mg	Supplier	Tin (Sn)	7440-31-5		0.13	mg
Wire Bond - Au	0.08	mg	Supplier	Gold (Au)	7440-57-5		0.08	mg