ASSOCIATION CONNECTING ELECTRANCE INDUSTRIES	PC. Bannockt	ourn. Illinois. A	Il rights reserved untions.	under both	This docume level parts, t	ent is a declara	tion of the s encompasse	ubstances es all lowe	within the r r level mate	nanufacture rials for whi	r listed iten ich the man	n. Note: if ufacturer	the item is an as has engineering	sembly with lowe responsibility.
				Form Type ⁵ Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials					s and Mfg Information				
Supplier Information														
Company name* Con			Company unique ID			Unique ID Authority					Response Date*			
onsemi											2025-07-16			
ontact Name Title - Contact				Phone - Contact*						Email - Contact*				
Product-Env-Stewards Product Enviro			viro Compliance			NA					Product-Env-Stewards@onsemi.com			
Authorized Representative* Title - Representative			entative		Phone - Representative*				Email - Representative*					
Product-Env-Stewards Product Enviro			ro Compliance			NA				Product-Env-Stewards@onsemi.com				
Requester Item Number	r Item Number Mfr Item Numbe		umber Mfr Item Name			Effective Dat	e Version]	Manufacturing Site		We	ight*	UOM	Unit Type
	NCS222	NCS2220AMUT1G ANA DUAL COM		MPARATOR UI	DFN8	2025-07-16 M		MY1		6.6		mg	Each	
Manufacturing Proccess Informa	tion							·						
Terminal Plating / Grid Array M	g / Grid Array Material Terminal Base Alloy		J-STD-020 MSL	Rating	Peak Pro	Process Body Temperature Max Time at Peak		ne at Peak T	Temperature Number of Reflow Cycle		eles			
Matte Tin (Sn) - annealed CU Alloy			1		260		С	30		seconds	3			
omments														
evel 1 - maximum time at peak temperat	ure during so	Idering is 10-3	0 seconds											
or more information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material Weight		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.06	mg	Supplier	Silicon (Si)	7440-21-3		0.06	mg	
Die Attach	0.04	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.0352	mg	
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.0048	mg	
Lead Frame	5.29	mg	Supplier	Silver (Ag)	7440-22-4		0.1058	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.0053	mg	
			Supplier	Copper (Cu)	7440-50-8		5.1789	mg	
Mold Compound-Black	1.05	mg		Epoxy Phenol Resin	proprietary data		0.0945	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		0.9555	mg	
Plating	0.14	mg	Supplier	Tin (Sn)	7440-31-5		0.14	mg	
Wire Bond - Au	0.02	mg	Supplier	Gold (Au)	7440-57-5		0.02	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).