ABBOLIATION CONNECTING ELECTRODICS INDUSTRIES INC. SINCE	Bannockbur	n. Illinois. A	ll rights reserved un tions.	nder both	This docum level parts, t	ent is a declaration entite decl	on of the substan acompasses all lo	ces within the manufacture wer level materials for w	rer listed it hich the m	em. Note: if aanufacturer	the item is an as has engineering	sembly with lower responsibility.	
				Form Type Distribute	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information					on			
Supplier Information													
Company name* Company unit			ique ID			Unique ID Authority				Response Date*			
nsemi										2025-05-10			
Contact Name	t Name Title - Contact					Phone - Contact*				Email - Contact*			
Product-Env-Stewards	oduct-Env-Stewards Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Representative			entative		Phone - Representative*				Email - Representative*				
Product-Env-Stewards Product Envir			nviro Compliance			NA			Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Item Number		Mfr Item Name			Effective Date	Version	Manufacturing Site	7	Weight*	UOM	Unit Type	
	NCV4264- 2CST33T3			0		2025-05-10			1	05.98	mg	Each	
Manufacturing Proccess Information													
Terminal Plating / Grid Array Materia	y Material Terminal Base Alloy		Alloy J	-STD-020 MSL	Rating	ting Peak Process Bod		Body Temperature Max Time at Peak		ure Numb	er of Reflow Cyc	les	
Matte Tin (Sn) - annealed CU Alloy		3	3		260	С	30	secon	ds 3				
Comments													
ATTENTION: MSL 3 Rated item requires Bal	ke and Dry	v Pack (after	electrical test)										
For more information regarding material com	position ple	ease refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chror	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl hthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	1.26	mg	Supplier	Silicon (Si)	7440-21-3		1.26	mg	
Die Attach	0.32	mg	Supplier	Silver (Ag)	7440-22-4		0.24	mg	
			Supplier	Epoxy resins	129915-35-1		0.08	mg	
Lead Frame	37.17	mg	Supplier	Silver (Ag)	7440-22-4		0.4832	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.0372	mg	
			Supplier	Iron (Fe)	7439-89-6		0.8921	mg	
			Supplier	Copper (Cu)	7440-50-8		35.7575	mg	
Mold Compound-Black	59.7	mg		Epoxy resin	proprietary data		2.985	mg	
			Supplier	Phenolic Resin	Proprietary Data		2.985	mg	
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		1.194	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.2985	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		52.2375	mg	
Plating	7.44	mg	Supplier	Tin (Sn)	7440-31-5		7.44	mg	
Wire Bond - Au	0.09	mg	Supplier	Gold (Au)	7440-57-5		0.09	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3