ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES® INDUSTRIES® INTERNATIONAL AND ADDRESS	, Bannockb	urn, Illinois. A	Il rights reserved untions.	nder both	This docum level parts,	ent is a declarat the declaration e	on of the su	ibstances s all lowe	within the manufacture or level materials for w	rer listed	item. Note: i manufacture	f the item is an as r has engineering	sembly with lower responsibility.	
	21.1 IPC Web Site for Information on IPC-1752 Standard Form Distribution of the standard Distr Distribu				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information					ion				
Supplier Information														
Company name*	Company unique ID			Unique ID Authority					Response Date*					
onsemi											2025-05-09			
Contact Name Title - Contact			ct			Phone - Contact*				Email	Email - Contact*			
Product-Env-Stewards Product En			ct Enviro Compliance			NA				Produ	Product-Env-Stewards@onsemi.com			
Authorized Representative* Title - Represe			sentative			Phone - Representative*			Email	Email - Representative*				
Product-Env-Stewards Product F			duct Enviro Compliance			NA				Produ	Product-Env-Stewards@onsemi.com			
Requester Item Number	r Item Number Mfr Item N		Number Mfr Item Name			Effective Date	Version]	Manufacturing Site		Weight*	UOM	Unit Type	
	NCV517	NCV51705MNTWG SiC MOSFET		Driver for Auto Qual		2025-05-09		·	TH6		44.14	mg	Each	
Manufacturing Proccess Information	on													
Terminal Plating / Grid Array Material Terminal Base A		Alloy	J-STD-020 MSI	L Rating	Peak Proc	ess Body To	emperatu	re Max Time at Peak	Tempera	ature Numb	per of Reflow Cy	cles		
Matte Tin (Sn) - annealed CU Alloy			1		260		С	30	seco	nds 3				
Comments														
level 1 - maximum time at peak temperature	e during sol	dering is 10-3	0 seconds											
For more information regarding material co	mposition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	2.99	mg	Supplier	Silicon (Si)	7440-21-3		2.99	mg
Die Attach	0.55	mg	Supplier	Silver (Ag)	7440-22-4		0.4675	mg
			Supplier	Acrylic resins	Proprietary Data		0.0825	mg
Lead Frame	16.85	mg	Supplier	Silver (Ag)	7440-22-4		0.337	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0202	mg
			Supplier	Iron (Fe)	7439-89-6		0.396	mg
			Supplier	Copper (Cu)	7440-50-8		16.0917	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0051	mg
Mold Compound-Black	21.53	mg	Supplier	Epoxy resins	129915-35-1		1.0765	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		1.0765	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0861	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.4952	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		18.3005	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.4952	mg
Plating	1.89	mg	Supplier	Tin (Sn)	7440-31-5		1.89	mg
Wire Bond - Au	0.33	mg	Supplier	Gold (Au)	7440-57-5		0.33	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).