© Copyright 200	mposition De 05. IPC, Bannockt Pan-American co	ourn, Illinois. A	Il rights reserved untions.	under both	This docum level parts, t	ent is a declar the declaratio	ation of the nencompared	ne substance asses all low	s within the manu er level materials	facturer liste for which th	ed item. Note: le manufacture	if the item is an a r has engineering	ssembly with lower responsibility.	
				Form Type Distribute						laterials and	ials and Mfg Information			
Supplier Information														
Company name*			Company unique ID			Unique ID Authority					Response Date*			
onsemi										2024	2024-05-03			
Contact Name Title - Co			e - Contact			Phone - Contact*				Emai	Email - Contact*			
Product-Env-Stewards Produ			Product Enviro Compliance			NA				Prod	Product-Env-Stewards@onsemi.com			
Authorized Representative* Title -			tle - Representative			Phone - Representative*			Emai	Email - Representative*				
Product-Env-Stewards P			Product Enviro Compliance			NA				Prod	Product-Env-Stewards@onsemi.com			
Requester Item Number	Requester Item Number Mfr Item		Number Mfr Item Name			Effective Da	ate Vers	ion	Manufacturing Site		Weight*	UOM	Unit Type	
	NCV742	NCV7428D1L3R2G LSLOP		SLOPE LIN 3,3V 70MA LDO		2024-05-03			BE4		81.78	mg	Each	
Manufacturing Proccess Infor	mation		·			•					·	·		
Terminal Plating / Grid Array	Terminal Plating / Grid Array Material Terminal Base A		Alloy	J-STD-020 MSI	L Rating	Peak Pi	ocess Bod	ly Temperat	re Max Time at	Peak Tempe	erature Num	ber of Reflow Cy	cles	
Matte Tin (Sn) - annealed CU Alloy		CU Alloy		2		260		С	30	see	conds 3			
Comments														
ATTENTION: MSL 2 Rated item req	uires Dry Pack (a	after electrical	test)											
For more information regarding mate	rial composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material Weigh		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	3.89	mg	Supplier	Silicon (Si)	7440-21-3		3.89	mg	
Die Attach	1.25	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.2875	mg	
			Supplier	Silver (Ag)	7440-22-4		0.9625	mg	
Lead Frame	29.12	mg	Supplier	Zinc (Zn)	7440-66-6		0.0291	mg	
			Supplier	Iron (Fe)	7439-89-6		0.6698	mg	
			Supplier	Copper (Cu)	7440-50-8		28.392	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.0291	mg	
Mold Compound-Black	46.29	mg		Epoxy resin	proprietary data		2.3145	mg	
			Supplier	Phenolic Resin	Proprietary Data		2.3145	mg	
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.9258	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.2315	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		40.5037	mg	
Plating	0.96	mg	Supplier	Tin (Sn)	7440-31-5		0.96	mg	
Wire Bond - Au	0.27	mg	Supplier	Gold (Au)	7440-57-5		0.27	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).