ABSOCIATION CONNECTING ELECTRONICS INDUSTRIES® INDUSTRIES®	kburn, Illinois. All ri	ights reserved und	ler both This doc level par	ument is ts, the de	a declaratio	on of the subs acompasses a	stances v Ill lower	vithin the manufacture level materials for wh	er listed in hich the m	tem. Note: if nanufacturer	f the item is an as has engineering	sembly with lower responsibility.	
IPC Web Site for Information of http://www.ipc.org/IPC-175x	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information				
Supplier Information													
Company name* Company unique ID			Unique I!			e ID Authority				Response Date*			
nsemi								2025-07-05					
Contact Name	Name Title - Contact			Phone - Contact*				Email - Contact*					
Product-Env-Stewards	uct-Env-Stewards Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com					
thorized Representative* Title - Representative				Phone - Representative*				Email - Representative*					
Product-Env-Stewards Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com				
Requester Item Number Mfr Ite	m Number Mf	Mfr Item Name		Effe	ective Date	Version	М	Manufacturing Site		Weight*	UOM	Unit Type	
NCV8	402AMNWT1G 165mOhm, 2A low		side SmartFET in DFI	J 2025	2025-07-05 M		MY1		23.43	mg	Each		
Manufacturing Proccess Information													
Terminal Plating / Grid Array Material	Material Terminal Base Alloy		TD-020 MSL Rating		Peak Proce	Process Body Temperature Max Time at Peak		Temperature Number of Reflow Cycles		eles			
Matte Tin (Sn) - annealed CU Alloy 1				260	C	2	30	secon	ds 3				
Comments													
level 1 - maximum time at peak temperature during s	oldering is 10-30 se	econds											
For more information regarding material compositio	n please refer to pag	nge 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted					
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all					
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the					
Supplier Digital Signature Ra	stislav Drska	Le								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	terial Weight Unit of Measure Level Substance		Substance	CAS	Exempt	Weight	Unit of Measure	
Die	1.21	mg	Supplier	Silicon (Si)	7440-21-3		1.21	mg
Die Attach	0.4	mg	Supplier	Silver (Ag)	7440-22-4		0.34	mg
			Supplier	Acrylic resins	Proprietary Data		0.06	mg
Lead Frame 5	5.85	mg	Supplier	Tin (Sn)	7440-31-5		0.0146	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0129	mg
			Supplier	Chromium (Cr)	7440-47-3		0.0146	mg
			Supplier	Copper (Cu)	7440-50-8		5.8079	mg
ead Frame plating	0.12	mg	Supplier	Silver (Ag)	7440-22-4		0.12	mg
Mold Compound-Black	14.42	mg		Epoxy resin	proprietary data		0.721	mg
			Supplier	Phenolic Resin	Proprietary Data		0.3317	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		0.721	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0577	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.3317	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		12.257	mg
lating	1.22	mg	Supplier	Tin (Sn)	7440-31-5		1.22	mg
Wire Bond - Au	0.21	mg	Supplier	Gold (Au)	7440-57-5		0.21	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).