ASSOCIATION CONNECTING LECTRONICS INDUSTRIES INTERNATION	Bannockburn, Illinois, A	ll rights reserved un ntions.	nder both le	his docume vel parts, tl	ent is a declaration he declaration en	n of the substance compasses all low	es within the manufactur wer level materials for w	rer listed item hich the man	. Note: if t ufacturer h	he item is an as as engineering	sembly with lower responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Typ. http://www.ipc.org/IPC-175x Distribute			* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information					n			
Supplier Information												
Company name* Company unique ID				Unique ID Authority			Response Date*					
onsemi									2024-04-29			
Contact Name	Title - Contact]	Phone - Contact*			Email - Contact*				
Product-Env-Stewards	Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
uthorized Representative* Title - Representative				Phone - Representative*				Email - Representative*				
Product-Env-Stewards Product Enviro Compliance					NA			Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Item Number	Mfr Item Name			Effective Date	Version	Manufacturing Site		ight*	UOM	Unit Type	
	NCV891330PD40R2G	V891330PD40R2G 2MHz SMPS Hyb			2024-04-29 PH1		61.0	54	mg	Each		
Manufacturing Proccess Information		•			•					·	·	
Terminal Plating / Grid Array Materia	Iaterial Terminal Base Alloy		-STD-020 MSL F	Rating	Peak Process Body Temperatu		ture Max Time at Peak	Temperature	Number	of Reflow Cyc	les	
Matte Tin (Sn) - annealed CU Alloy 2				260	С	30	seconds	3				
Comments												
ATTENTION: MSL 2 Rated item requires Dry	y Pack (after electrical	test)										
or more information regarding material com	position please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chror	oHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl hthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.69	mg	Supplier	Silicon (Si)	7440-21-3		0.69	mg	
Die Attach	0.5	mg	Supplier	Silver (Ag)	7440-22-4		0.375	mg	
			Supplier	Epoxy resins	129915-35-1		0.125	mg	
Lead Frame 2	29.69	mg	Supplier	Silver (Ag)	7440-22-4		0.6235	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.0594	mg	
			Supplier	Iron (Fe)	7439-89-6		0.7423	mg	
			Supplier	Copper (Cu)	7440-50-8		28.2649	mg	
Mold Compound-Black	28.58	mg		Epoxy resin	proprietary data		1.429	mg	
			Supplier	Phenolic Resin	Proprietary Data		1.429	mg	
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.5716	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.1429	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		25.0075	mg	
Plating	1.89	mg	Supplier	Tin (Sn)	7440-31-5		1.89	mg	
Wire Bond - Au	0.29	mg	Supplier	Gold (Au)	7440-57-5		0.29	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3