ABSOCIATION CONNECTING ELECTRONICS INDUSTRIESS INCOMPACTING	IPC. Bannockt	ourn. Illinois. A	All rights reserved un ntions.	nder both	This docume level parts, t	ent is a declaration er	on of the substacompasses al	ances within the l lower level mate	manufactur erials for wh	er listed it hich the m	em. Note: if anufacturer	f the item is an as has engineering	sembly with low responsibility.	
				Form Type Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Material				als and M	uls and Mfg Information				
Supplier Information														
Company name* Co			Company unique ID			Unique ID Authority				Response Date*				
onsemi										2025-07-04				
Contact Name Title - Contact			ct	Phone - Cont			nct* E			Email -	Email - Contact*			
Product-Env-Stewards Product En			luct Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Repr			Representative			Phone - Representative*			Email - Representative*					
Product-Env-Stewards Pr			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Item Number		mber Mfr Item Name			Effective Date	Version	Manufactur	Manufacturing Site		Veight*	UOM	Unit Type	
	NLV145	NLV14538BDWG DUAL PRECISI		N MONOSTAI	BLE	2025-07-04 PH1		PH1		422.01		mg	Each	
Anufacturing Proccess Inform	ation		·			·	·							
Terminal Plating / Grid Array M	Terminal Plating / Grid Array Material Terminal Base Alloy		Alloy J	-STD-020 MSL	Rating	Peak Proce	ss Body Tem	perature Max Ti	me at Peak	Temperat	ure Numb	er of Reflow Cyd	eles	
Matte Tin (Sn) - annealed CU Alloy 3						260	C	30		secon	is 3			
omments														
<b>FTENTION: MSL 3 Rated item requir</b>	es Bake and D	ry Pack (after	r electrical test)											
or more information regarding materia	l composition	please refer to	o page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	5.84	mg	Supplier	Silicon (Si)	7440-21-3		5.84	mg	
Die Attach	16.72	mg	Supplier	Silver (Ag)	7440-22-4		12.54	mg	
			Supplier	Epoxy resins	129915-35-1		4.18	mg	
Lead Frame	261.87	mg	Supplier	Silver (Ag)	7440-22-4		2.8806	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.5237	mg	
			Supplier	Iron (Fe)	7439-89-6		6.8086	mg	
			Supplier	Copper (Cu)	7440-50-8		251.6571	mg	
Mold Compound-Black	133.38	mg		Epoxy resin	proprietary data		6.669	mg	
			Supplier	Phenolic Resin	Proprietary Data		6.669	mg	
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		2.6676	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.6669	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		116.7075	mg	
Plating	3.83	mg	Supplier	Tin (Sn)	7440-31-5		3.83	mg	
Wire Bond - Cu	0.37	mg	Supplier	Copper (Cu)	7440-50-8		0.37	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3