upplier Inform ompany name* usemi ontact Name	IPC Web Site for Information http://www.ipc.org/IPC-175x			Form Type * Distribute			claration Class ss 6 - RoHS Y		Iomogeneous Materi	als and Mfg	Informatio	1		
ompany name* nsemi ontact Name	ation	Company un	ique ID											
nsemi ontact Name		Company un	ique ID											
ontact Name				Company unique ID			Unique ID Authority				Response Date*			
											2025-07-04			
roduct-Env-Stewa		Title - Conta	· Contact			Phone - Contact*				Email - Contact*				
	ards	Product Envi	roduct Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Title			Title - Representative			Phone - Representative*			Email - Representative*					
Product-Env-Stewards Pr			Product Enviro Compliance			NA			Product-Env-Stewards@onsemi.com					
Requeste	Requester Item Number Mfr Item Nu		Number Mfr Item Name			Effective Date	Version	M	Manufacturing Site		eight*	UOM	Unit Type	
	NOII	NOIP1SE025KA-GTI PYTHON 25MP C Production with pr			or 2	2025-07-04 THA			144	108.294	mg	Each		
Ianufacturing	<b>Process Information</b>													
Terminal l	Terminal Plating / Grid Array Material		Terminal Base Alloy J-ST		20 MSL Rating P		Peak Process Body Temperature		re Max Time at Peak Temperate		re Number of Reflow Cycles			
Precious 1 Sn)			CU Alloy NA			0		C 30		seconds	s 3			
omments			<u> </u>					•						

RoHS Material Composition Declaration			Declaration Type *	Detail	led					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybrominated Biphenyls (Pl	aterial for Cadmium and quantity limit of 0.1% by BB), Polybrominated Diphenyl Ethers (PBDE), an							
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on informationprovided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.										
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substa	ances per the definition above	Supplier Ac	ceptance *	Accepted					
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructional Complete all of the required	fields on all neggs of this form. Calcut th		a duan dawn. This will display the signature on	a Digitally sign	the declaration (if recurined by the					
Instructions: Complete all of the required Requester) and click on Submit Form to			e drop-down. This will display the signature ar	ea. Digitally sign	the declaration (if required by the					

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Ceramic Substrate	10733.9	mg	Supplier	Cobalt (Co)	7440-48-4		77.2841	mg
			Supplier	Titanium Dioxide (TiO2)	13463-67-7		46.1558	mg
			Supplier	Silver (Ag)	7440-22-4		60.1098	mg
			Supplier	Molybdenum (Mo)	7439-98-7		45.0824	mg
			Supplier	Tungsten (W)	7440-33-7		893.0605	mg
			Supplier	Magnesium Monoxide (MgO)	1309-48-4		92.3115	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		322.017	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		8382.1025	mg
			В	Nickel (Ni)	7440-02-0		172.8158	mg
			Supplier	Gold (Au)	7440-57-5		27.9081	mg
			Supplier	Iron (Fe)	7439-89-6		245.8063	mg
			Supplier	Chromium Trioxide (Cr2O3)	1308-38-9		358.5123	mg
			Supplier	Copper (Cu)	7440-50-8		10.7329	mg
Die	1422.37	mg	Supplier	Silicon (Si)	7440-21-3		1422.37	mg
Die Attach	0.004	mg	Supplier	Silver (Ag)	7440-22-4		0.0034	mg
			Supplier	Epoxy resins	129915-35-1		0.0006	mg
Glass Attach Epoxy	0.21	mg	Supplier	2,3-epoxypropyl-trimethoxysilan	2530-83-8		0.0006	mg
			Supplier	N-[3- (Trimethoxysilyl)propyl]ethylenediamine	1760-24-3		0.0005	mg
			Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		0.0872	mg
			Supplier	4,4'-Diaminodiphenyl Sulfone (DDS-4,4')	80-08-0		0.0332	mg
			Supplier	Filler (SiO2?C2H6Cl2Si)	68611-44-9		0.0828	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0056	mg
Glass Lid /Cap	2247.8	mg	Supplier	Boron Trioxide (B2O3)	1303-86-2		188.8152	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		1346.8818	mg
			Supplier	Barium Monoxide (BaO)	1304-28-5		178.0258	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		178.0258	mg
			Supplier	Calcium Monoxide (CaO)	1305-78-8		356.0515	mg
Wire Bond - Al	4.01	mg	Supplier	Aluminum (Al)	7429-90-5		4.01	mg