© Copyrig	al Composition Department of the second seco	burn, Illinois. A	ll rights reserved u ntions.	Inder both Iev	his docume vel parts, th	ent is a declar he declaration	ration of n encom	f the substances	within the r er level mate	nanufacture rials for wh	er listed ite nich the ma	m. Note: if nufacturer l	the item is an a nas engineering	ssembly with low responsibility.
	IPC Web Site for Information on IPC-1752 StandardForm Tyhttp://www.ipc.org/IPC-175xDistribut					Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ials and Mfg Information			
upplier Information														
ompany name*	Company uni	Company unique ID			Unique ID Authority					Response Date*				
nsemi										2025-07-06				
ontact Name	Title - Contac	Title - Contact			Phone - Contact*					Email - Contact*				
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA					Product-Env-Stewards@onsemi.com				
uthorized Representative*	Title - Repres	Title - Representative			Phone - Representative*				Email - Representative*					
Product-Env-Stewards		Product Enviro Compliance			1	NA				Product-Env-Stewards@onsemi.com				
Requester Item Numb	NOIP1SN016KA-GTI PYTHO		n Number Mfr Item Name			Effective Da	ate Ve	ersion	Manufacturing Site		W	eight*	UOM	Unit Type
			PYTHON 16MP	YTHON 16MP Mono Image Sensor with rotective foil		2025-07-06 TH		THA		14	408.294	mg	Each	
Ianufacturing Proccess I	nformation													
Terminal Plating / Grid	/ Grid Array Material Terminal Base		Alloy J	J-STD-020 MSL Rating		Peak Process Body Temperature		re Max Tin	ne at Peak	ak Temperature Number of Re		r of Reflow Cy	cles	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy NA		NA		0		С	30 seco		second	econds 3		
omments											·			
or more information regarding	material composition	n please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Ceramic Substrate	10733.9	mg	Supplier	Cobalt (Co)	7440-48-4		77.2841	mg
			Supplier	Titanium Dioxide (TiO2)	13463-67-7		46.1558	mg
			Supplier	Silver (Ag)	7440-22-4		60.1098	mg
			Supplier	Molybdenum (Mo)	7439-98-7		45.0824	mg
			Supplier	Tungsten (W)	7440-33-7		893.0605	mg
			Supplier	Magnesium Monoxide (MgO)	1309-48-4		92.3115	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		322.017	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		8382.1025	mg
			В	Nickel (Ni)	7440-02-0		172.8158	mg
			Supplier	Gold (Au)	7440-57-5		27.9081	mg
			Supplier	Iron (Fe)	7439-89-6		245.8063	mg
			Supplier	Chromium Trioxide (Cr2O3)	1308-38-9		358.5123	mg
			Supplier	Copper (Cu)	7440-50-8		10.7329	mg
Die	1422.37	mg	Supplier	Silicon (Si)	7440-21-3		1422.37	mg
Die Attach	0.004	mg	Supplier	Silver (Ag)	7440-22-4		0.0034	mg
			Supplier	Epoxy resins	129915-35-1		0.0006	mg
Glass Attach Epoxy	0.21	mg	Supplier	2,3-epoxypropyl-trimethoxysilan	2530-83-8		0.0006	mg
			Supplier	N-[3- (Trimethoxysilyl)propyl]ethylenediamine	1760-24-3		0.0005	mg
			Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		0.0872	mg
			Supplier	4,4'-Diaminodiphenyl Sulfone (DDS-4,4')	80-08-0		0.0332	mg
			Supplier	Filler (SiO2?C2H6Cl2Si)	68611-44-9		0.0828	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0056	mg
Glass Lid /Cap	2247.8	mg	Supplier	Boron Trioxide (B2O3)	1303-86-2		188.8152	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		1346.8818	mg
			Supplier	Barium Monoxide (BaO)	1304-28-5		178.0258	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		178.0258	mg
			Supplier	Calcium Monoxide (CaO)	1305-78-8		356.0515	mg
Wire Bond - Al	4.01	mg	Supplier	Aluminum (Al)	7429-90-5		4.01	mg