Contact Name Title - Contact Phone - Contact* Phone - Contact* Product-Env-Stewards Authorized Representative* Product-Env-Stewards Product Enviro Compliance Authorized Representative* Product-Env-Stewards Product Enviro Compliance NA Product-Env-Stewards@onsent Requester Item Number Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards@onsent Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM NOIXISE8000B-LTII XGS8MP, 24port, Color 0D 2025-05-11 TWU 2819.45 mg Manufacturing Proccess Information Terminal Plating / Grid Array Material Terminal Base Alloy Precious metal (e.g., Ag,Au, NiPdAu) (no CU Alloy 4 245 C 30 seconds 3	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.								Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.							
Company name* Company unique ID Unique ID Authority Response Date* 2025-05-11 Contact Name Title - Contact Product-Env-Stewards Authorized Representative* Product-Env-Stewards Product Enviro Compliance NA Product-Env-Stewards Product-Env-		formation	g Infor	als and M	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials					Form Type Distribute	52-21.1					
nsemi Contact Name Title - Contact Product-Env-Stewards Authorized Representative* Product-Env-Stewards Product Enviro Compliance Product-Env-Stewards Produ														ation	upplier Informa	
Contact Name Product-Env-Stewards Authorized Representative* Product-Env-Stewards Product Enviro Compliance Authorized Representative* Product-Env-Stewards Product Enviro Compliance Product-Env-Stewards Product-Env-Stew	Response Date*				Unique ID Authority				Un	mpany unique ID U			Company name* Company			
Product-Env-Stewards Authorized Representative* Product-Env-Stewards Product-Env-Stewards@onsent NA NOIXISE8000B-LTII XGS8MP, 24port, Color 0D 2025-05-11 TWU 2819.45 Manufacturing Process Information NA Noixises Na Noixises Na Na Noixises Na Noix		2025-05-11													semi	
Title - Representative* Product-Env-Stewards Product Enviro Compliance Requester Item Number Mfr Item Number Mfr Item Name Requester Item Number Mfr Item Number Mfr Item Name Requester Item Number NoIX1SE8000B-LTII NOIX1SE8000B-	Email - Contact*				Phone - Contact*				Ph			Title - Contac			ontact Name	
Product-Env-Stewards Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM NOIX1SE8000B-LTI1 XGS8MP, 24port, Color 0D 2025-05-11 TWU 2819.45 mg Manufacturing Proccess Information Terminal Plating / Grid Array Material Terminal Base Alloy Precious metal (e.g. Ag,Au, NiPdAu) (no CU Alloy 4 245 C 30 Seconds 3	Product-Env-Stewards@onsemi.com				NA				N	o Compliance			Product-Env-Stewards Product Enviro C			
Requester Item Number	mail - Representative*			Email -	ne - Representative*			tive Phone - Re			Authorized Representative* Title - Representative					
NOIX1SE8000B-LTI1 XGS8MP, 24port, Color 0D 2025-05-11 TWU 2819.45 mg Manufacturing Proccess Information Terminal Plating / Grid Array Material Terminal Base Alloy Precious metal (e.g. Ag,Au, NiPdAu) (no CU Alloy 4 245 C 30 seconds 3	Product-Env-Stewards@onsemi.com				NA				N.	Product Enviro Compliance			Product-Env-Stewards P			
Anufacturing Proccess Information Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Precious metal (e.g. Ag,Au, NiPdAu) (no CU Alloy 4 245 C 30 seconds 3	Unit Type	nt* UOM	Veight*	7	nufacturing Site	Man	Version	fective Date	E		Mfr Item Name	m Number	Mfr Ite	Item Number	Requester	
Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Precious metal (e.g. Ag,Au, NiPdAu) (no CU Alloy 4 245 C 30 seconds 3	Each	45 mg	819.45	2	/U	TW		25-05-11	20	t, Color 0D	XGS8MP, 24port,	ISE8000B-LTI1	NOIX1			
Precious metal (e.g. Ag,Au, NiPdAu) (no CU Alloy 4 245 C 30 seconds 3	1										<u></u>		on	Proccess Informatio	Ianufacturing P	
	e Number of Reflow Cycles		ire N	Temperat	ure Max Time at Peak Tempera		Peak Process Body Temperatu		L Rating	J-STD-020 MSL Rating		Terminal Base A	al Plating / Grid Array Material Terminal Base		Terminal P	
(Sn)		3	ls 3	secon	30		C	245		4	CU Alloy 4		Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)			
Comments									<u>.</u>	· ·					omments	

RoHS Material Composition Declaration			Declaration Type *	Detail	ed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		ium (Cr6+), Polybrominated Biphenyls (PB)	erial for Cadmium and quantity limit of 0.1% b B), Polybrominated Diphenyl Ethers (PBDE), a		
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct at it in member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted
Exemption: If the declared item does not applicable exemptions.	contain RoHS restricted substances per t	he definition above except for defined Rol	IS exemptions, then select the corresponding	response in the R	oHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Ceramic Substrate	1947.74	mg	Supplier	Cobalt (Co)	7440-48-4		0.1948	mg
			Supplier	Molybdenum (Mo)	7439-98-7		0.1948	mg
			Supplier	Tungsten (W)	7440-33-7		23.3729	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		122.7076	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		1725.6976	mg
			В	Nickel (Ni)	7440-02-0		5.4537	mg
			Supplier	Gold (Au)	7440-57-5		3.8955	mg
			Supplier	Chromium Trioxide (Cr2O3)	1308-38-9		66.2232	mg
Die	198.5	mg	Supplier	Silicon (Si)	7440-21-3		198.5	mg
Die Attach	20.25	mg	Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		1.0125	mg
			Supplier	Formaldehyde Polymer	9003-36-5		7.0875	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		12.15	mg
Glass Attach Epoxy	9.99	mg	Supplier	2,3-epoxypropyl-trimethoxysilan	2530-83-8		0.8591	mg
			Supplier	N-[3- (Trimethoxysilyl)propyl]ethylenediamine	1760-24-3		0.6893	mg
			Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		4.1558	mg
			Supplier	4,4'-Diaminodiphenyl Sulfone (DDS-4,4')	80-08-0		0.03	mg
			Supplier	Filler (SiO2?C2H6Cl2Si)	68611-44-9		3.996	mg
			Supplier	Carbon Black (C)	1333-86-4		0.2597	mg
Glass Lid /Cap	642.73	mg	Supplier	Boron Trioxide (B2O3)	1303-86-2		53.9893	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		382.2958	mg
			Supplier	Barium Monoxide (BaO)	1304-28-5		52.7039	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		50.9042	mg
			Supplier	Calcium Monoxide (CaO)	1305-78-8		102.8368	mg
Wire Bond - Al	0.24	mg	Supplier	Aluminum (Al)	7429-90-5		0.24	mg