ASEDCIATION CONNECTING ELECTRONICS INDUSTRIES® International and	5. IPC, Bannock	burn, Illinois. A	Il rights reserved u ntions.	under both	This docume level parts, th	ent is a decla he declaratio	tration on enco	of the substance ompasses all low	s within th er level ma	e manufactur aterials for w	rer listed it which the m	em. Note: anufacture	if the item is an as er has engineering	ssembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form 7 http://www.ipc.org/IPC-175x Distribution				e *	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ials and Mfg Information				
upplier Information															
ompany name*	Company uni	Company unique ID			Unique ID Authority					Response Date*					
onsemi											2025-05-13				
ontact Name	Title - Contac	Title - Contact			Phone - Contact*					Email - Contact*					
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com						
Authorized Representative* Title			Title - Representative			Phone - Representative*				Email - Representative*					
Product-Env-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
Requester Item Number	Mfr Iter	n Number	nber Mfr Item Name 0KB-GTI XGS20MP, 24port, Mono 10D CRA			Effective D	ate	Version	Manufacturing Site		V	Veight*	UOM	Unit Type	
	NOIX1	SN020KB-GTI			CRA	2025-05-13			THA		18407.2 mg		mg	Each	
Ianufacturing Proccess Inform	nation					1									
Terminal Plating / Grid Array	Material	Terminal Base A	Alloy J	J-STD-020 MSL Rating		Peak Process Body Tempera		Body Temperat	ure Max Time at Peak Temp		Temperatu	nperature Number of Reflow Cycles		cles	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy NA		NA		0		С	30		seconds 3				
omments															
or more information regarding mater	ial compositior	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Ceramic Substrate	13879.8	mg	Supplier	Cobalt (Co)	7440-48-4		1.388	mg
			Supplier	Molybdenum (Mo)	7439-98-7		1.388	mg
			Supplier	Tungsten (W)	7440-33-7		166.5576	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		874.4274	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		12297.502	mg
			В	Nickel (Ni)	7440-02-0		38.8634	mg
			Supplier	Gold (Au)	7440-57-5		27.7596	mg
			Supplier	Chromium Trioxide (Cr2O3)	1308-38-9		471.9132	mg
Die	1011.6	mg	Supplier	Silicon (Si)	7440-21-3		1011.6	mg
Die Attach	147.4	mg	Supplier	Silver (Ag)	7440-22-4		125.29	mg
			Supplier	Epoxy resins	129915-35-1		22.11	mg
Glass Attach Epoxy	83.5	mg	Supplier	2,3-epoxypropyl-trimethoxysilan	2530-83-8		7.181	mg
			Supplier	N-[3- (Trimethoxysilyl)propyl]ethylenediamine	1760-24-3		5.7615	mg
			Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		34.736	mg
			Supplier	4,4'-Diaminodiphenyl Sulfone (DDS-4,4')	80-08-0		0.2505	mg
			Supplier	Filler (SiO2?C2H6Cl2Si)	68611-44-9		33.4	mg
			Supplier	Carbon Black (C)	1333-86-4		2.171	mg
Glass Lid /Cap	3252.8	mg	Supplier	Boron Trioxide (B2O3)	1303-86-2		273.2352	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		1934.7655	mg
			Supplier	Barium Monoxide (BaO)	1304-28-5		266.7296	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		257.6218	mg
			Supplier	Calcium Monoxide (CaO)	1305-78-8		520.448	mg
Wire Bond - Au	32.1	mg	Supplier	Gold (Au)	7440-57-5		32.1	mg