Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM	rial Composition Declaration right 2005. IPC, Bannockburn, Illinois. A ional and Pan-American copyright conve	This document is a de level parts, the declara	claration of the substances within the mation encompasses all lower level materi	anufacturer listed item. Note: if the item is an assembly with ials for which the manufacturer has engineering responsibilit			
Company name* Company unique ID Unique ID Authority Response Date* 2025-06-06 Contact Name Title - Contact Product-Env-Stewards Authorized Representative* Product-Env-Stewards Authorized Representative* Product-Env-Stewards Product-Env-St		Form Type * Distribute		us Materials and Mfg Information			
Contact Name							
Title - Contact Phone - Contact* Phone - Contact* Product-Env-Stewards @ onsemi.com Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM Weight* UOM Weight* UOM Weight* UOM Weight* Weight* UOM We	Company ur	Unique ID	O Authority	Response Date*			
Product-Env-Stewards Authorized Representative* Authorized Representative* Product-Env-Stewards Product Enviro Compliance Product-Env-Stewards Product-Env-S				2025-06-06			
Title - Representative* Product-Env-Stewards Product Enviro Compliance Requester Item Number NA Requester Item Number Noix1SN032KB-GTI Noix1SN	Title - Conta	Phone - C	Contact*	Email - Contact*			
Product-Env-Stewards Product-Env-Stewards	Product Env	nce NA		Product-Env-Stewards@onsemi.com			
Requester Item Number	Title - Repre	Phone - R	Representative*	Email - Representative*			
MoixisN032KB-GTI XGS32MP, 24port, Mono, 10deg CRA 2025-06-06 THA 18407.2 mg Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycles Precious metal (e.g. Ag,Au, NiPdAu) (no CU Alloy NA 0 C 30 seconds 3	Product-Env-Stewards Product Enviro Compliance			Product-Env-Stewards@onsemi.com			
Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycles	nber Mfr Item Number	Name Effective	e Date Version Manufacturing	g Site Weight* UOM Unit Ty			
Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycles Precious metal (e.g. Ag,Au, NiPdAu) (no CU Alloy NA 0 C 30 seconds 3	NOIX1SN032KB-GTI	P, 24port, Mono, 10deg CRA 2025-06-	-06 THA	18407.2 mg Each			
Precious metal (e.g. Ag,Au, NiPdAu) (no CU Alloy NA 0 C 30 seconds 3	Information						
	rid Array Material Terminal Base	J-STD-020 MSL Rating Peak	x Process Body Temperature Max Time	e at Peak Temperature Number of Reflow Cycles			
	Ag,Au, NiPdAu) (no CU Alloy	NA 0	C 30	seconds 3			
Comments							

RoHS Material Composition Declaration			Declaration Type *	Detail	ed			
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		ium (Cr6+), Polybrominated Biphenyls (PB)	erial for Cadmium and quantity limit of 0.1% b B), Polybrominated Diphenyl Ethers (PBDE), a					
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the pocontains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information strue and correct to the best of its knowledges that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member states) of the part is an assembly with lower level components, the declaration shall encompany acknowledges that Supplier acknowledges that Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member states) of the determining the compliance of its products with European Union member states) and the supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part,								
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted			
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose applicable exemptions.								
Exemption List Version	EL-2011/534/EU							
Declaration Signature								
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the			

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Ceramic Substrate	13879.8	mg	Supplier	Cobalt (Co)	7440-48-4		1.388	mg
			Supplier	Molybdenum (Mo)	7439-98-7		1.388	mg
			Supplier	Tungsten (W)	7440-33-7		166.5576	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		874.4274	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		12297.502	mg
			В	Nickel (Ni)	7440-02-0		38.8634	mg
			Supplier	Gold (Au)	7440-57-5		27.7596	mg
			Supplier	Chromium Trioxide (Cr2O3)	1308-38-9		471.9132	mg
Die	1011.6	mg	Supplier	Silicon (Si)	7440-21-3		1011.6	mg
Die Attach	147.4	mg	Supplier	Silver (Ag)	7440-22-4		125.29	mg
			Supplier	Epoxy resins	129915-35-1		22.11	mg
Glass Attach Epoxy	83.5	mg	Supplier	2,3-epoxypropyl-trimethoxysilan	2530-83-8		7.181	mg
			Supplier	N-[3- (Trimethoxysilyl)propyl]ethylenediamine	1760-24-3		5.7615	mg
			Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		34.736	mg
			Supplier	4,4'-Diaminodiphenyl Sulfone (DDS-4,4')	80-08-0		0.2505	mg
			Supplier	Filler (SiO2?C2H6Cl2Si)	68611-44-9		33.4	mg
			Supplier	Carbon Black (C)	1333-86-4		2.171	mg
Glass Lid /Cap	3252.8	mg	Supplier	Boron Trioxide (B2O3)	1303-86-2		273.2352	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		1934.7655	mg
			Supplier	Barium Monoxide (BaO)	1304-28-5		266.7296	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		257.6218	mg
			Supplier	Calcium Monoxide (CaO)	1305-78-8		520.448	mg
Wire Bond - Au	32.1	mg	Supplier	Gold (Au)	7440-57-5		32.1	mg