ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES INDUSTRIES	C, Bannockb	urn, Illinois. A	Il rights reserved untions.	nder both	This docum level parts, t	ent is a declarat the declaration of	on of the su	ibstances s all lowe	within the manufacture or level materials for w	rer listed	item. Note: i manufacture	if the item is an as r has engineering	sembly with lower responsibility.	
				Form Type Distribute	 Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg In 					/Ifg Informat	ion			
Supplier Information														
Company name*			Company unique ID			Unique ID Authority					Response Date*			
onsemi										2025-06-04				
Contact Name Title - Contact			ct		Phone - Contact*				Email - Contact*					
Product-Env-Stewards Product Envir			Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Repre			resentative		Phone - Representative*			Email - Representative*						
Product-Env-Stewards Produ			Product Enviro Compliance			NA				Produ	Product-Env-Stewards@onsemi.com			
Requester Item Number	Mfr Item Number		er Mfr Item Name			Effective Date	Version]	Manufacturing Site		Weight*	UOM	Unit Type	
	NTHD4I	NTHD4P02FT1G PFET CHPFT 20		V 3A 155MOH	М	2025-06-04 MY1		MY1			mg	Each		
Manufacturing Proccess Informat	ion		·										·	
Terminal Plating / Grid Array Material Terminal Base Alloy		Alloy J	-STD-020 MSI	L Rating	Peak Proc	ess Body To	emperatu	re Max Time at Peak	Tempera	ature Numb	ber of Reflow Cy	les		
Matte Tin (Sn) - annealed CU Alloy			l		260		С	30	seco	nds 3				
Comments														
level 1 - maximum time at peak temperatur	e during sol	dering is 10-3	0 seconds											
For more information regarding material c	omposition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a that agreement, will be the sole and exclusives	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ess of the applicable quantity limit identified above may apply. If the part is an assembly with low is accuracy and that such information is true and ce of its products with European Union membe we independently verified such information. How heir contributions to the part, and those certificat and those of that agreement, including any warra	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not con applicable exemptions.	(Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Éthers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl nay homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, omium, polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall on this form. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, er completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Has Supplier may have relied on information, instrudied by others, Supplier agreess that, at a minimum, itssupplier shave provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the esole and exclusivesource of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier row avarents rights and/or medies provided as part of the sole and exclusivesource of the Supplier's standard Terms and Conditions of Sale applicable to such part shall apply. 1 - Item(s) does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all eL-2011/534/EU											
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	h. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.13	mg	Supplier	Silicon (Si)	7440-21-3		0.13	mg	
Die Attach	0.3	mg	Supplier	Silver (Ag)	7440-22-4		0.225	mg	
			Supplier	Epoxy resins	129915-35-1		0.075	mg	
Lead Frame	4.67	mg	Supplier	Silver (Ag)	7440-22-4		0.2802	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.0047	mg	
			Supplier	Iron (Fe)	7439-89-6		0.1027	mg	
			Supplier	Copper (Cu)	7440-50-8		4.2824	mg	
Mold Compound-Black	5.38	mg		Epoxy Phenol Resin	proprietary data		0.5649	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		4.8151	mg	
Plating	0.25	mg	Supplier	Tin (Sn)	7440-31-5		0.25	mg	
Wire Bond - Cu	2.57	mg	Supplier	Copper (Cu)	7440-50-8		2.57	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted)