Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.					This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.										
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Pistribute				*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information				
Supplier	· Information														
Company name*			Company unique ID				Unique ID Authority				Response Date*				
onsemi											2025-08-02				
Contact N	ame	Title - Contact				Phone - Contact*				Email - Contact*					
Product-E	Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
Authorize	d Representative*	Title - Representative				Phone - Representative*				Email - Representative*					
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
	Requester Item Number Mfr Item		Number Mfr Item Name				Effective Dat	Effective Date Version Manufacturing Site		ing Site	We	ight*	UOM	Unit Type	
		NVG500	A75L4DSF2	750V 500A Dual	Side Cooling		2025-08-02			MY1		743	76.1	mg	Each
Manufa	cturing Proccess Informati	ion													
	Terminal Plating / Grid Array Material Terminal Plating / Grid Array Material		erminal Base Alloy J-STD-020 MSI		L Rating	Peak Process Body Temperature N		re Max Ti	me at Peak	Temperature	Numb	er of Reflow Cyc	les		
	Matte Tin (Sn) - annealed	C	CU Alloy		NA		0		С	30		seconds	3		
Comments	<u> </u>														
For more i	information regarding material c	omposition	please refer to	page 3											

RoHS Material Composition Declaration			Declaration Type *	Detail	ed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		ium (Cr6+), Polybrominated Biphenyls (PB)	erial for Cadmium and quantity limit of 0.1% b B), Polybrominated Diphenyl Ethers (PBDE), a		
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct tion member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted
Exemption: If the declared item does not applicable exemptions.	contain RoHS restricted substances per t	he definition above except for defined Rol	IS exemptions, then select the corresponding	response in the R	oHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
DBC	27408.0	mg		Miscellaneous	trade secret		82.224	mg
			Supplier	Zirconium Dioxide (ZrO2)	1314-23-4		411.12	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		4440.0962	mg
			Supplier	Copper (Cu)	7440-50-8		22474.5605	mg
Die	101.61	mg	Supplier	Silicon (Si)	7440-21-3		101.61	mg
Die Attach Solder	665.88	mg	Supplier	Tin (Sn)	7440-31-5		632.586	mg
			В	Antimony (Sb)	7440-36-0		33.294	mg
Die Backside Attach	191.46	mg	Supplier	Terpineol	8000-41-7		13.4022	mg
			Supplier	Isotridecan-1-ol	27458-92-0		13.4022	mg
			Supplier	Silver (Ag)	7440-22-4		151.2534	mg
			В	Nickel (Ni)	7440-02-0		13.4022	mg
Lead Frame	13257.71	mg	Supplier	Zinc (Zn)	7440-66-6		0.6629	mg
			Supplier	Iron (Fe)	7439-89-6		1.3258	mg
			Supplier	Copper (Cu)	7440-50-8		13251.0811	mg
			Supplier	Phosphorus (P)	7723-14-0		4.6402	mg
Mold Compound-Black	13692.08	mg		Epoxy resin	proprietary data		1369.208	mg
			Supplier	Phenol Resin	Proprietary Data		342.302	mg
			Supplier	Miscellaneous	Trade Secret		410.7624	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		1026.906	mg
			Supplier	Carbon Black (C)	1333-86-4		68.4604	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		1985.3516	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		8489.0898	mg
Spacer-1	10422.0	mg	Supplier	Silver (Ag)	7440-22-4		13.5486	mg
			Supplier	Molybdenum (Mo)	7439-98-7		7274.5562	mg
			В	Nickel (Ni)	7440-02-0		7.2954	mg
			Supplier	Copper (Cu)	7440-50-8		3126.6001	mg
Spacer-2	5912.0	mg	Supplier	Silver (Ag)	7440-22-4		7.6856	mg
			Supplier	Iron (Fe)	7439-89-6		5.912	mg
			Supplier	Copper (Cu)	7440-50-8		5896.6289	mg
			Supplier	Phosphorus (P)	7723-14-0		1.7736	mg
Spacer to DBC Attach	2725.36	mg	Supplier	Silver (Ag)	7440-22-4		81.7608	mg
			Supplier	Tin (Sn)	7440-31-5		2629.9724	mg

Supplier	Copper (Cu)	7440-50-8	13.6268 mg	