Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.					This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lowe level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.											
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				Form Type 'Distribute	*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Material					als and Mfg	als and Mfg Information			
Supplier Inf	formation															
Company name* Company				ny unique ID			Unique ID Authority					Response Date*				
nsemi												2025-05-10				
Contact Name		Title - Contact			]	Phone - Contact*					Email - Contact*					
Product-Env-S	Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com						
uthorized Rep	presentative*	Title - Representative			]	Phone - Representative*				Email - Representative*						
Product-Env-S	Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com						
Req	Requester Item Number Mfr I		Number	Mfr Item Name			Effective Date	e Version		Manufacturing Site		W	eight*	UOM	Unit Type	
		NXH300B100H4Q2F2 PIM 1500V 250KW S1G			W Q2BOOST		2025-05-10	10 CNG			17	76363.38	mg	Each		
<b>Ianufactur</b>	ring Proccess Information	1														
Term	Terminal Plating / Grid Array Material		Γerminal Base Alloy J-S <sup>*</sup>		J-STD-020 MSL	Rating	Peak Prod	Process Body Temperature Ma		re Max Ti	me at Peak	Temperatu	re Numbe	er of Reflow Cy	cles	
Matte Tin (Sn) - annealed		C	CU Alloy NA		NA		0 C 30		30		seconds 3					
omments					_		•								_	
or more infor	mation regarding material con	position p	please refer to	page 3												

RoHS Material Composition Declaration			Declaration Type *	Detail	ed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		ium (Cr6+), Polybrominated Biphenyls (PB)	erial for Cadmium and quantity limit of 0.1% b B), Polybrominated Diphenyl Ethers (PBDE), a						
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct tion member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of				
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted				
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.									
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the				

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Case	10330.0	mg	Supplier	Fiber Glass (SiO2)	65997-17-3		3615.5	mg	
			Supplier	PBT	26062-94-2		6714.4995	mg	
Case Lid	6410.0	mg	Supplier	Fiber Glass (SiO2)	65997-17-3		2243.5	mg	
			Supplier	PBT	26062-94-2		4166.5	mg	
DBC	17370.0	mg	Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		6948	mg	
			Supplier	Copper (Cu)	7440-50-8		10422	mg	
Die	63.36866	mg	Supplier	Silicon Carbide	409-21-2		63.3687	mg	
			Supplier	Silicon (Si)	7440-21-3		0	mg	
Glue	410.0	mg	Supplier	2,3-epoxypropyl-trimethoxysilan	2530-83-8		41	mg	
			Supplier	Miscellaneous	Trade Secret		41	mg	
			Supplier	Silica Crystalline (SiO2)	14808-60-7		328	mg	
Heat Sink	123450.0	mg	В	Nickel (Ni)	7440-02-0		1913.475	mg	
			Supplier	Copper (Cu)	7440-50-8		121536.5234	mg	
Silicone Gel	8400.0	mg	Supplier	Silica, [(ethenyldimethylsilyl)oxy]- and [(trimethylsilyl)oxy]- modified	68988-89-6		2520	mg	
			Supplier	Silica Crystalline (SiO2)	14808-60-7		5880	mg	
Solder Paste	5290.0	mg	Supplier	Silver (Ag)	7440-22-4		343.85	mg	
			Supplier	Tin (Sn)	7440-31-5		4946.1499	mg	
			Supplier	Copper (Cu)	7440-50-8		-158.7004	mg	
Terminal	4130.0	mg	Supplier	Silicon (Si)	7440-21-3		11.151	mg	
			В	Nickel (Ni)	7440-02-0		55.755	mg	
			Supplier	Copper (Cu)	7440-50-8		4062.0615	mg	
			Supplier	Phosphorus (P)	7723-14-0		1.0325	mg	
Wire Bond - Al	510.0	mg	Supplier	Aluminum (Al)	7429-90-5		510	mg	