ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES® Intern	erial Composition pyright 2005. IPC, Bar ational and Pan-Ameri	n Declaration mockburn, Illinois. A ican copyright conver	ll rights reserved u utions.	Inder both Iev	his docume vel parts, th	nt is a declaration ne declaration en	n of the substanc compasses all lov	es within the manufac ver level materials for	turer listed which the	item. Note: if manufacturer	the item is an as has engineering	ssembly with low responsibility.	
757-71	IPC Web Site for Information on IPC-1752 Standard Form Ty			Form Type * Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				erials and N	ials and Mfg Information			
upplier Information													
Company name*	Company uni	Company unique ID			Unique ID Authority				Response Date*				
nsemi									2025-06-08				
Contact Name	Title - Contac	Title - Contact			Phone - Contact*			Email	Email - Contact*				
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA			Produ	Product-Env-Stewards@onsemi.com				
uthorized Representative*	Title - Repres	Title - Representative			Phone - Representative*			Email	Email - Representative*				
roduct-Env-Stewards	Product Envi	Product Enviro Compliance			NA			Produ	Product-Env-Stewards@onsemi.com				
Requester Item N	Requester Item Number Mfr Iten		n Number Mfr Item Name			Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
	Nž	NXH80T120L2Q0S2G PIM 1200V, 80		0A TNPC Standard Pinout		2025-06-08 CNG		CNG		22071.205	mg	Each	
Ianufacturing Procce	ess Information				J						ł		
Terminal Plating / Grid Array Material T		Terminal Base A	erminal Base Alloy J-STD-020 MSL		Rating	Peak Process Body Temperature M		ture Max Time at Pe	ak Tempera	ature Numbe	er of Reflow Cyc	cles	
Matte Tin (Sn) - annealed		CU Alloy	CU Alloy NA			0 C 30		30	seconds 3				
omments													
or more information regar	ding material composition	sition please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Case	10240.0	mg	Supplier	Fiber Glass (SiO2)	65997-17-3		3584	mg
			Supplier	PBT	26062-94-2		6656	mg
DBC	6550.0	mg	Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		2620	mg
			Supplier	Copper (Cu)	7440-50-8		3930.0002	mg
Die	12.1154	mg	Supplier	Silicon (Si)	7440-21-3		12.1154	mg
Glue	60.0	mg	Supplier	2,3-epoxypropyl-trimethoxysilan	2530-83-8		6	mg
			Supplier	Miscellaneous	Trade Secret		6	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		48	mg
NTC	10.0	mg	Supplier	Silver (Ag)	7440-22-4		0.0979	mg
			Supplier	Tin (Sn)	7440-31-5		0.02	mg
			Supplier	Nickel Oxide (NiO)	1313-99-1		3.9169	mg
			Supplier	Palladium (Pd)	7440-05-3		0.0999	mg
			В	Nickel (Ni)	7440-02-0		0.01	mg
			Supplier	Cobalt Oxide (Co3O4)	1308-06-1		0.3997	mg
			Supplier	Manganese Tetraoxide (Mn3O4)	1317-35-7		5.4556	mg
Silicone Gel	2700.0	mg	Supplier	Silica, [(ethenyldimethylsilyl)oxy]- and [(trimethylsilyl)oxy]- modified	68988-89-6		810.0001	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		1890	mg
Solder Paste	210.0	mg	Supplier	Silver (Ag)	7440-22-4		7.35	mg
			Supplier	Tin (Sn)	7440-31-5		202.65	mg
Terminal	2209.09	mg	Supplier	Silicon (Si)	7440-21-3		5.9645	mg
			В	Nickel (Ni)	7440-02-0		29.8227	mg
			Supplier	Copper (Cu)	7440-50-8		2172.7505	mg
			Supplier	Phosphorus (P)	7723-14-0		0.5523	mg
Wire Bond - Al	80.0	mg	Supplier	Aluminum (Al)	7429-90-5		80	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).