	CONNECTING CS INDUSTRIES CS INDUSTRIES MOUSTRIES	PC, Bannockb	urn, Illinois. A	All rights reserved u ntions.	nder both	This docume level parts, t	ent is a declarat he declaration	ion of the encompas	e substance sses all low	s within the r er level mate	manufacture rials for wh	er listed ite	em. Note: i anufacture	if the item is an as r has engineering	sembly with lowe responsibility.
1752-21.1	.1 IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x				Form Type * Distribute			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information							
Supplie	r Information														
Company	name*	Company unique ID				Unique ID Authority					Response Date*				
nsemi												2025-06-08			
Contact N	Name	Title - Contact				Phone - Contact*					Email - Contact*				
Product-	Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
uthorize	ed Representative*	Title - Representative				Phone - Representative*				Email - Representative*					
Product-	Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
	Requester Item Number Mfr Item TIP122G		Number Mfr Item Name				Effective Date	te Version Manufacturing Site		ng Site	V	/eight*	UOM	Unit Type	
			ł	BIP T0220 NPN 8A 100V			2025-06-08 CN5			1	962.01	mg	Each		
/Ianufa	ecturing Proccess Information	tion										1			
	Terminal Plating / Grid Array Material		Ferminal Base Alloy J-STD-020 MS		L Rating	Peak Process Body Temperat		ure Max Time at Peak Tempe		Temperatu	re Numb	ber of Reflow Cyc	eles		
	Matte Tin (Sn) - annealed		CU Alloy NA			0 C		30 seco		second	ls 3				
omments	S														
or more	information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declar	ation			Declaration Type *	Detailed			
Directive 2015/863/EU amending Rol Directive 2011/65/EU	RoHS RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Be phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).							
cadmium, hexavalentchromium, polyb contains a RoHS restricted substance i encompass all such components.Suppl as of the date that Supplier completes Company acknowledges that Supplier independently verified information pro- certification in this paragraph.If the Co	rominated biphenyls and/or polybror nexcess of an applicable quantity lim ier certifies that it gathered the inforr this form.Supplier acknowledges that may have relied on informationprovi ovided by others, Supplier agrees that ompany and the Supplier enter into a clusivesource of the Supplier's liabili	ninated diphenyl ethers (each a "R it, please indicate below which, if nation it provides in this form usin Company will rely on this certifud ded by others in completing this f , at a minimum, itssuppliers have written agreement with respect to ty and the Company's remedies for	toHS restricted substance") in exce any, RoHS exemption you believe ag appropriate methods to ensure it cation in determining the complian orm, and that Supplier may not hav provided certifications regarding th the identified part,the terms and co or issues that arise regarding inform	ropean Union member states) of the part identifies so of the applicable quantity limit identified about may apply. If the part is an assembly with lows a accuracy and that such information is true and ce of its products with European Union member re independently verified such information. How heir contributions to the part, and those certifica motions of that agreement, including any warra nation the Supplier provides in this form. In the	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the inty rights and/or remedies provided as part of			
RoHS Declaration * 4	- Item(s) does not contain RoHS restr	icted substances per the definition	above except for selected exempti	ons Supplier Acceptance	* Accepted			
Exemption: 7a: Lead in high meltin Exemption: 7c-I Electrical and elect	g temperature type solders (i.e. lead ronic components containing lead i	l based solder alloys containing n a glass or ceramic other than	85% by weight or more lead). dielectric ceramic in capacitors, o	e.g. piezoelectronic devices, or in a glass or ce	eramic matrix compound.			
Exemption List Version	EL-2011/534/EU							
Declaration Signature								
Instructions: Complete all of the rec Requester) and click on Submit For			Supplier Acceptance drop-down	. This will display the signature area. Digital	ly sign the declaration (if required by the			
Supplier Digital Signature	Rastislav Drska	Le						

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	3.55	mg	Supplier	Silicon (Si)	7440-21-3		3.5145	mg
			Supplier	Lead Bisilicate	65997-18-4	7c	0.0355	mg
Die Attach	82.98	mg	А	Lead (Pb)	7439-92-1	7a	78.831	mg
			Supplier	Tin (Sn)	7440-31-5		4.149	mg
Lead Frame	1300.04	mg	Supplier	Copper (Cu)	7440-50-8		1300.04	mg
Mold Compound-Black	543.9	mg		Brominated epoxy resin	proprietary data		10.878	mg
			Supplier	Phenolic Resin	Proprietary Data		27.195	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		16.317	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		435.12	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		54.39	mg
Plating	31.13	mg	Supplier	Tin (Sn)	7440-31-5		31.13	mg
Wire Bond - Al	0.41	mg	Supplier	Aluminum (Al)	7429-90-5		0.41	mg