






SPQFP48 7x7 / SQFP48K CASE 131AN **ISSUE A**

DATE 08 NOV 2013










NOTES:

- 1. DIMENSIONING AND TOLERANCING PER ASME Y14.5M, 1994.
- 2. CONTROLLING DIMENSION MILLIMETERS
- DIMENSION 6 DOES NOT INCLUDE DAMBAR PROTRUSION. DAMBAR PROTRUSION SHALL BE 0.08 MAX. AT MMC. DAMBAR CANNOT BE LOCATED ON THE LOYER RADIUS OF THE FOOT. MINIMUM SPACE BETWEEN PROTRUSION AND ADJACENT LEAD IS 0.07.
- DIMENSIONS DI AND EL DO NOT INCLUDE MOLD FLASH, PROTRUSIONS, OR GATE BURRS. MOLD FLASH, PROTRUSIONS, OR GATE BURRS SHALL NOT EXCEED 0.25 PER SIDE. DIMENSIONS DI AND EL ARE MAXIMUM PLASTIC BODY SIZE INCLUDING MOLD MISMATCH.
- THE TOP PACKAGE BODY SIZE MAY BE SMALLER THAN THE BUTTOM PACKAGE SIZE BY AS MUCH AS 0.15.
- DATUMS A-B AND D ARE DETERMINED AT DATUM PLANE H.
- ALIS DEFINED AS THE VERTICAL DISTANCE FROM THE SEATING PLANE TO THE LOWEST POINT ON THE PACKAGE BODY.
- DIMENSIONS D AND E TO BE DETERMINED AT DATUM PLANE C.



	MILLIMETERS		
DIM	MIN.	MAX.	
Α		1.70	
A1	0.00	0.15	
A2	1.50 REF		
b	0.15	0.26	
D	9.00 BSC		
D1	7.00	BSC	
D2	4.60 REF		
Ε	9.00 BSC		
E1	7.00 BSC		
E2	4.60 REF		
e	0.50 BSC		
L	0.30	0.70	
L2	0.25	BSC	
М	ô	10*	





DOCUMENT NUMBER:	98AON78439F	Electronic versions are uncontrolled except when accessed directly from the Document Repository. Printed versions are uncontrolled except when stamped "CONTROLLED COPY" in red.	
DESCRIPTION:	SPQFP48 7x7 / SQFP48K		PAGE 1 OF 1

onsemi and ONSEMI are trademarks of Semiconductor Components Industries, LLC dba onsemi or its subsidiaries in the United States and/or other countries. onsemi reserves brisefin and of 160 m are trademarked so defined values of services and of the confined values and of the values of the confined values and of the values of the confined values and of the values of the v special, consequential or incidental damages. onsemi does not convey any license under its patent rights nor the rights of others.